



## BIROn - Birkbeck Institutional Research Online

Eimer, Martin (2017) Why the item will remain the unit of attentional selection in visual search. Behavioral and Brain Sciences 40 (e137), ISSN 0140-525X.

Downloaded from: <https://eprints.bbk.ac.uk/id/eprint/21154/>

*Usage Guidelines:*

Please refer to usage guidelines at <https://eprints.bbk.ac.uk/policies.html>  
contact [lib-eprints@bbk.ac.uk](mailto:lib-eprints@bbk.ac.uk).

or alternatively

Authors of Target Article: Johan Hulleman & Christian N. L. Olivers

Word count:

Abstract: 58 words; Main text: 922 words; References: 135 words; Entire text: 1184 words

Title: **Why the item will remain the unit of attentional selection in visual search**

Author: Martin Eimer

Department of Psychological Sciences, Birkbeck, University of London, Malet Street, London WC1E 7HX

Phone: 0044 2076316358

Email: [m.eimer@bbk.ac.uk](mailto:m.eimer@bbk.ac.uk)

Home page: <http://brainb.psyc.bbk.ac.uk/>

### **Abstract**

Hulleman & Olivers reject item-based serial models of visual search, and suggest that items are processed equally and globally during each fixation period. However, neuroscientific studies have shown that attentional biases can emerge in parallel but in a spatially selective item-based fashion. Even within a parallel architecture for visual search, the item remains the critical unit of selection.

### **Main text**

Leading theories of visual search postulate that search targets are found by deploying attention sequentially to individual objects (items). Hulleman & Olivers reject such serial item-based accounts and propose an alternative where fixations replace items as the conceptual unit of visual search. In their nascent computational model, individual search episodes start once the eyes have reached a new fixation location. Parallel processing of all items within a functional view field (FVF) results in a decision about target presence/absence. If no target is found, the eyes move to a different location, and a new

search episode commences. This model performs remarkably well in simulating search slopes and the variability of search performance across different types of search tasks. However, questions remain about the mechanisms proposed for localizing targets and discriminating them from irrelevant objects during individual fixations. For example, as fixation duration is constant at 250 ms, and the visual slate is wiped clean during each new eye movement, the decision about the presence of a target within the FVF has to be made within this brief time window. Results from attentional dwell time and attentional blink experiments suggest that target identification processes may require at least 300-500 ms, and may therefore extend in time beyond individual fixation periods.

At a more fundamental level, it is difficult to see how objects can be replaced as conceptual units in visual search, given that the visual world is made up of objects, and finding a particular target object is the goal of a typical search task. Hulleman & Olivers claim that processing with a fixation period is not item-based, because “all items are in principle selected and processed simultaneously” by mechanisms that compute global area activations and pooled summary statistics across the FVF. This is plausible for easy search tasks where targets can be found on the basis of local feature discontinuities (singleton detection), and also for non-search tasks that require the rapid extraction of the gist of a scene. What remains unclear is whether such global area-based mechanisms can detect the presence or absence of targets even in moderately difficult search tasks where no diagnostic low-level saliency signals are available and distractors share features with the target. Furthermore, the spatially non-selective group-based account proposed by Hulleman & Olivers also seems at odds with neuroscientific insights into the control of visual search. During search for targets with known features, biases of visual processing towards target-matching objects emerge rapidly within the first 200 ms after the presentation of a search display, even outside the current attentional focus (e.g., Bichot, Rossi, & Desimone, 2005). These biases are elicited in a spatially specific fashion in retinotopic visual areas that match the location of possible target objects. They can initially be triggered at multiple locations across the visual field, but gradually become more spatially focused, and may eventually result in the selective activation of one particular object representation (see Eimer, 2014, 2015, for a more detailed discussion, and Duncan, 1996, for related ideas on object-based integrated competition mechanisms in visual search). The important point here is that such

task-dependent attentional biases of visual processing emerge in spatial visual maps that represent candidate target objects at particular locations. In this fundamental sense, attentional selection mechanisms and their neural basis remain irreducibly item-based. Crucially, this type of item-based selectivity does not imply serial selection. Spatially selective processing biases for target-matching objects can emerge in parallel across the visual field (e.g., Bichot et al., 2005; Saenz, Buracas, & Boynton, 2002), and multiple target objects at different locations can be selected simultaneously and independently (e.g., Eimer & Grubert, 2014).

Within the framework proposed by Hulleman & Olivers, it may be useful to distinguish between the guidance of spatial attention during individual fixation episodes, and the guidance of eye movements. The selection of new fixation locations might indeed be informed by global area-based computations that are performed in parallel outside the currently fixated region, and provide information about the likelihood of a target being present elsewhere in the visual field. In contrast, attentional control processes within the FVF during a fixation episode operate via spatially selective and thus essentially item-based modulations of visual processing. In fact, Hulleman & Olivers acknowledge the existence of such spatial biases that gradually become more item-based for the case of compound search where target-defining and response-relevant features differ. Here, “a global search for the target-defining feature may be followed by a local search for the response-defining feature”. The question remains whether this type of item-based spatially selective attentional control is the exception or the rule during visual search. Although some real-world visual search tasks (e.g., the scanning of mammograms or security X-ray images) do not involve the well-defined objects that are used in lab-based search studies, one could argue that even here, search is still guided in a spatially selective fashion by image features that are relevant for the task at hand.

The new fixation-based search model proposed by Hulleman & Olivers is useful not only because of its power to simulate behavioural results, but also because it invites us to think differently about visual search. Serial selection models have dominated the field for decades, and alternative concepts are sorely needed. Hulleman & Olivers provide excellent arguments for abandoning strictly sequential item-by-item accounts of visual search.

However, in their endeavour to reject serial selection, they may have thrown out the item-based baby with the serial bathwater. Attentional processes in visual search may indeed operate in a largely parallel fashion, but the item will remain a primary unit of selection.

## References

- Bichot, N. P., Rossi, A. F., & Desimone, R. (2005). Parallel and serial neural mechanisms for visual search in macaque area V4. *Science*, *308*, 529-534.
- Duncan, J. (2006). EPS Mid-Career Award 2004: Brain mechanisms of attention. *The Quarterly Journal of Experimental Psychology*, *59*, 2-27.
- Eimer, M. (2014). The neural basis of attentional control in visual search. *Trends in Cognitive Sciences*, *99*, 225-234.
- Eimer, M. (2015). EPS Mid-Career Award 2014: The control of attention in visual search - Cognitive and neural mechanisms. *The Quarterly Journal of Experimental Psychology*, *68*, 2437-2463.
- Eimer, M. & Grubert, A. (2014). Spatial attention can be allocated rapidly and in parallel to new visual objects. *Current Biology*, *24*, 193-198.
- Saenz, M., Buracas, G. T., & Boynton, G. M. (2002). Global effects of feature-based attention in human visual cortex. *Nature Neuroscience*, *5*, 631-632.