

## Birkbeck ePrints: an open access repository of the research output of Birkbeck College

<http://eprints.bbk.ac.uk>

---

Frias-Martinez, E.; Magoulas, G.; Chen, S. and Macredie, R. (2005). Modeling human behavior in user-adaptive systems: recent advances using soft computing techniques. *Expert Systems with Applications* 29 (2) 320-329.

---

This is an author-produced version of a paper published in *Expert Systems with Applications* (ISSN 0957-4174). This version has been peer-reviewed but does not include the final publisher proof corrections, published layout or pagination.

All articles available through Birkbeck ePrints are protected by intellectual property law, including copyright law. Any use made of the contents should comply with the relevant law.

Citation for this version:

Frias-Martinez, E.; Magoulas, G.; Chen, S. and Macredie, R. (2005). Modeling human behavior in user-adaptive systems: recent advances using soft computing techniques. *London: Birkbeck ePrints*. Available at: <http://eprints.bbk.ac.uk/archive/00000311>

Citation for the publisher's version:

Frias-Martinez, E.; Magoulas, G.; Chen, S. and Macredie, R. (2005). Modeling human behavior in user-adaptive systems: recent advances using soft computing techniques. *Expert Systems with Applications* 29 (2) 320-329.

# Modeling Human Behavior in User-Adaptive Systems: Recent Advances Using Soft Computing Techniques

E. Frias-Martinez<sup>1</sup>, G. Magoulas<sup>2</sup>, S. Chen<sup>1</sup>, R. Macredie<sup>1</sup>

<sup>1</sup>*Department of Information Systems & Computing, Brunel University, Uxbridge, Middlesex, UB8 3PH UK  
{enrique.frias-martinez,sherry.chen,robert.macredie}@brunel.ac.uk*

<sup>2</sup>*School of Computer Science & Information Systems, Birkbeck College, University of London, London WC1E 7HX U.K.  
gmagoulas@dcs.bbk.ac.uk*

## Abstract.

Adaptive Hypermedia systems are becoming more important in our everyday activities and users are expecting more intelligent services from them. The key element of a generic adaptive hypermedia system is the user model. Traditional machine learning techniques used to create user models are usually too rigid to capture the inherent uncertainty of human behavior. In this context, soft computing techniques can be used to handle and process human uncertainty and to simulate human decision-making. This paper examines how soft computing techniques, including fuzzy logic, neural networks, genetic algorithms, fuzzy clustering and neuro-fuzzy systems, have been used, alone or in combination with other machine learning techniques, for user modeling from 1999 to 2004. For each technique, its main applications, limitations and future directions for user modeling are presented. The paper also presents guidelines that show which soft computing techniques should be used according to the task implemented by the application.

*Keywords:* User Modeling, Adaptive Hypermedia, Soft Computing, Machine Learning, Data Mining,

## 1 Introduction

Adaptive Hypermedia (AH) can be defined as the technology that allows personalization for each individual user of a hypermedia application (Perkowitz & Etzioni, 2000).

The architecture of an AH system is usually divided in two parts: the server side and the client side. The server side generates the user models from a database containing the interactions of the users with the system and the personal data/preferences that each user has given to the system. These user models, in combination with a hypermedia database, are used by the “Decision Making and Personalization Engine” module to identify user needs, decide on the types of adaptation to be performed and communicate them to an adaptive interface. Figure 1 presents the architecture of a generic AH system.

The process of personalization in an AH system is defined as the ways in which information and services can be tailored to match the unique and specific needs of an individual or a community (Callan et al., 2001). Personalization is about building customer loyalty by building a meaningful one-to-one relationship; by understanding the needs of each individual and helping satisfy a goal that efficiently and knowledgeably addresses each individual’s need in a given context (Riecken, 2000).

In this context, the user model is considered as a set of information structures designed to represent one or more of the following elements (Kobsa, 2001): (1) representation of assumptions about the knowledge, goals, plans preferences, tasks and/or abilities about one or more types of users; (2) representation of relevant common characteristics of users pertaining to specific user subgroups (stereotypes); (3) the classification of a user in one or more of these subgroups; (4) the recording of user behavior; (5) the formation of assumptions about the user based on the interaction history; and/or (6) the generalization of the interaction histories of many users into stereotypes (a stereotype is defined as a set of users that share a common behavior or interest).

The more information a user model has, the better the content and presentation will be personalized. A user model is created through a User Modeling (UM) process in which unobservable information about a user is inferred from observable information from that user; for example, using the interactions with the system (Zukerman, Albrecht & Nicholson, 1999). User models can be created using a user-guided approach, in which the models are directly created using the information provided by each user, or an automatic approach, in which the process of creating a user model is controlled by the system and is hidden from the user. This paper focuses on soft computing techniques to automate the acquisition and creation of user models in AH systems.

The problem of UM can be implemented using an automatic approach because a typical user exhibits patterns when accessing a hypermedia system and the set of interactions containing those patterns can be stored in a log database in the server. In this context, machine learning techniques can be applied to recognize regularities in user trails and to integrate them as part of the user model. Machine learning encompasses techniques where a machine acquires/learns knowledge from its previous experience (Witten & Frank, 1999). The output of a machine learning technique is a structural description of what has been learned that can be used to explain the original data and to make predictions. From this perspective, data mining and other machine learning techniques make it possible to automatically create user models for the implementation of AH services. Pierrakos et al. (2003)




Fig. 1. Generic Architecture of an Adaptive Hypermedia Application.

SC technologies provide an approximate solution to an ill-defined problem and can create user models in an environment, such as a hypermedia application, in which users are not willing to give feedback on their actions and/or designers are not able to fully define all possible interactions. Human interaction is a key component of any hypermedia application, which implies that the data available will usually be imprecise, incomplete and heterogeneous. In this context SC seems to be the appropriate paradigm to handle the uncertainty and fuzziness of the information available to create user models (Pal, Talwar & Mitra, 2002). The elements that a user model captures (goals, plans, preferences, common characteristics of users) can exploit the ability of SC to mix different behaviors and to capture human decision processes in order to implement a system that is more flexible and sensible in relation to user interests. Different techniques provide different capabilities. For example, Fuzzy Logic provides a mechanism to mimic human decision-making that can be used to infer goals and plans; Neural Networks a flexible mechanism for the representation of common characteristics of a user and the definition of complex stereotypes; Fuzzy Clustering a mechanism in which a user can be part of more than one stereotype at the same time; and NeuroFuzzy systems a mechanism to capture and tune expert knowledge which can be used to obtain assumptions about the user. These techniques can be used to construct a user model by themselves or in combination with traditional machine learning techniques.

This paper will explore the development of user models using soft computing techniques from 1999 to 2004, focusing on the main journals and conferences for UM, mainly: User Modeling and User-Adapted Interaction journal; Expert Systems with Applications; International Conference on User Modeling; International Conference on AH; IEEE Transactions on Neural Networks; Workshop of Intelligent Techniques for Web Personalization (part of IJCAI-International Joint Conference of Artificial Intelligence); and International Workshop on Knowledge Discovery on the WEB (WEBKDD, part of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining). The paper's intentions are (1) to give an up-to-date view of Soft Computing techniques to UM and highlight their potential advantages and limitations, and (2) to give basic guidelines about which techniques can be useful for a given adaptive application.

The organization of the paper is as follows. The paper first gives a taxonomy of user models using two parameters: granularity and task implemented. After that each SC technique is briefly introduced, giving also examples of applications for UM, and highlighting its pros and cons in the field of UM. Next we develop guidelines for how to choose a useful soft computing technique to create a user model according to the needs of the AH application that is going to be implemented. The conclusion section closes the paper by presenting future directions.

## 2. A Taxonomy of Soft Computing-based User Models

User models are classified in this work based on how human behaviors are represented as models, and their purpose. To this end, two main dimensions are considered: (1) *the granularity of the model*, a model can be created for each individual user (content-based modeling) or for clusters of users (collaborative modeling); and (2) *the type of task* for which the model is going to be used. Below, we define four basic types of tasks: (i) *Prediction*, (ii) *Recommendation*, (iii) *Classification* and (iv) *Filtering*. Prediction is the capability of anticipating user needs using past user behavior. A basic assumption is made with this approach: a user's immediate future is very similar to his/her immediate past. In the literature this is traditionally presented as *content-based filtering*. Recommendation is the capability of suggesting interesting elements to a user based on some extra information not based on the past behavior of the user; for example, from the items to be recommended or from the behavior of other users. In this context, recommendation is what in the literature is known as *collaborative filtering*. Classification builds a model that maps

and Erinaki and Vazirgiannis (2003) present a review of how traditional data mining techniques can be applied to UM and the general architecture of such systems.

Nevertheless, traditional machine learning techniques have some limitations for modeling human behavior, mainly the lack of any reference to the inherent uncertainty that human decision-making has. This problem can be partially solved with the introduction of Soft Computing (SC) for UM. SC is an innovative approach to building computationally intelligent systems that differs from conventional (hard) computing in that it is tolerant of imprecision, uncertainty and partial truth. The guiding principle of soft computing is to exploit the tolerance for imprecision, uncertainty and partial truth to achieve tractability, robustness and low solution cost (Sinha, Gupta & Zadeh, 2000). SC consists of several computing approaches, including neural networks, fuzzy set theory, approximate reasoning, and search methods, such as genetic and evolutionary algorithms (Jang, Sun & Mizutani, 1997).

**Table 1.**

Characteristics of some Fuzzy Logic- based User Modeling applications.

	Application	Training Data	Outcome	T	I/G
Nasraoui & Petenes (2003)	Web recommendation system based on a fuzzy inference engine that uses a rule-based representation of the user profile.	12 days access log data of the Web site of the Dep. Comp. Eng. at the University of Missouri.	Fuzzy recommendation achieves high coverage compared to other machine learning solutions.	R	G
Vrettos & Stafylopatis (2001)	Agent for information retrieval and filtering in the context of e-learning.	Cranfield data set (www.cs.utk.edu/lsi) which includes 1398 documents, 225 queries and an average of 8.2 relevant documents per query.	Re-ranking the search according to user's profile.	F	I
Ardissono & Goy (1997)	Introduction of personalization techniques in a shell supporting the construction of adaptive web stores.	Not Presented.	Fuzzy logic can be applied in electronic sales to produce personalized environments.	R	I
Schmitt et al. (2003)	Recommendation of items of an e-commerce site to its users using a structure-based system.	Preferences specified by the user.	On-line demo: www2.dfki.de:8080/mautmachine.html	R	I
Kuo & Chen (2004)	Decision support system that integrates both qualitative and quantitative factors	Simulation	Considering both qualitative and quantitative factors produces more accurate results that considering only quantitative factors.	R	G

or classifies data items into one of several predefined classes. Filtering is defined as the selection of a subset of items that are interesting to a user from the original set of items.

In general, any of the previous tasks can be implemented using knowledge stored in the different user model elements (Kobsa, 2001). For example, a filtering task can be implemented using knowledge represented by some user preferences, or by classifying the user in a stereotype (or in more than one stereotypes). A prediction task can be implemented using knowledge captured by user's goals but also by classifying the user in a stereotype, etc. In the following subsections we present a number of SC techniques and give examples of AH systems that employ the particular technique, specifying the task implemented and the granularity of the model.

### 2.1 Fuzzy Logic

Fuzzy Logic (FL) defines a framework in which the inherent ambiguity of real information can be captured, modeled and used to reason under uncertainty. A key concept in FL theory is the notion of the fuzzy set. A fuzzy set expresses the degree of membership of an element in that set. When compared to traditional binary or multi-valued logic, in which the degree of truth takes values from a discrete finite set, in fuzzy logic the degree of truth can take continuous values between [0,1]. This characteristic allows capturing the uncertainty inherent to real data. An introduction to FL can be found in Klir & Yuan, (1995) and Yan, Ryan & Power (1994).

FL is not a machine learning technique; nevertheless, due to its ability to handle uncertainty, it is used in combination with other machine learning techniques in order to produce behavior models that are able to capture and manage the uncertainty of human behavior. Some examples of these combinations are Fuzzy Clustering, Fuzzy Association Rules, and Fuzzy Bayesian Networks. Another alternative is to capture user models with a machine learning technique (possibly with some kind of representation of uncertainty) and use FL inference to implement the personalization engine. A traditional FL inference system processes knowledge in three steps: (1) fuzzifies the input data; (2) conducts fuzzy inference based on fuzzy information; and (3) defuzzifies the fuzzy decisions to produce the final outcome. FL in UM does not necessarily realize all of the three steps, but maybe only a subset of them.

Typically FL has been employed in recommender systems. In these applications, FL provides the ability to mix different user preferences and profiles that are satisfied to a certain degree. An example of fuzzy inference used for recommendation is Nasraoui & Petenes (2003), which uses user profiles obtained with hierarchical unsupervised clustering. In Ardissono & Goy (1999) fuzzy logic is used to model user behavior and provide recommendations using this fuzzy behavior model. Although, strictly speaking, there is no actual fuzzy inference involved, the stereotypes that characterize users are modeled using membership functions, and the recommendation process is done using a fuzzy AND operator. Schmitt, Dengler & Bauer (2003) present a system designed to recommend products in an e-commerce site, according to how well this product satisfies user preferences. The score of an item (according to how much that item matches user interests) is done using an OWA (Ordered Weighted Averaging) operator. This family of operators allows the representation of fuzzy logic connectives and the aggregation

**Table 2.**

Characteristics of some Neural Networks- based User Modeling applications.

	Application	Training Data	Outcome	T	I/G
Bidel et al. (2003)	Classification and tracking of user navigation.	Data generated from an on-line encyclopedia.	A labeled approach to the problem produces better accuracy.	C	G
Sas et al. (2003)	Prediction of user's next step in a virtual environment	30 users performed exploration and searching within the environment.	Very accurate predictions of the next step	R	G
Shepperd (2002)	Adaptive filtering system for electronic news using stereotypes.	The Halifax Herald Ltd.	Very useful for readers with specific information needs.	F	I
Beck & Woolf. (1998)	Construction of a student model for an intelligent tutoring system.	Data collected by the tutoring system	NN-based recommendation to each individual.	R	G
Shavlik & Eliassi (2001)	Adaptive agents that retrieve and extract information by accepting user preferences in the form of instructions.	Instructions given directly by the user and user rated web pages.	Facilitates creating intelligent agents combining user instructions with machine learning.	F / P	I
Roh et al. (2003)	Three step recommendation model based on collaborative filtering that combines NN with case-cased reasoning.	MoviLens data sets (GroupLens Research Project, Univ. of Minnesota) containing ratings of movies.	The new algorithm gives useful recommendations to each user.	R	G
Changchien & Lu (2001)	On-line recommendation system for e-commerce sites based on customer and products fragmentation.	Sample of sales records from a Database.	Recommendation knowledge can promote internet sales.	R	G
Hsieh (2004)	Modeling of bank users for marketing purposes.	Bank databases provided by a major Taiwanese credit card issuer.	Identifying model by a behavioral scoring model and facilitates customer marketing/	C	G

of different user preferences. Kuo and Chen (2004) design a recommendation system for electronic commerce using fuzzy rules obtained by a combination of fuzzy neural networks and genetic algorithms. FL has also been used for filtering (Vrettos & Stafylopatis, 2002). In this case, FL provides a soft filtering process based on the degree of concordance between user preferences and the elements being filtered. Table 1 summarizes relevant studies and applications of FL for UM. The columns detail the application, the data, the results obtained, the type of task (T) for which the SC technique was used, i.e. Prediction (P), Recommendation (R), Classification (C) and Filtering (F), and (I/G) if the system created a model for each Individual (I) or for Groups of users (G).

Although FL is an ideal technique for modeling human reasoning, it faces some challenges in real-world applications. The main one is related to the fact that it possesses no mechanism for learning from data. This implies that the knowledge of the application domain has to be explicitly given by the designer. Moreover, it also has an impact on the definition of other model parameters like membership degrees and fuzzy operators, which are in general application dependent. Neuro-fuzzy systems, which will be discussed in another section, have emerged as an approach to alleviate these challenging situations.

## 2.2 Neural Networks

A Neural Network (NN) is an information processing paradigm that is inspired by the way of biological nervous systems, such as the brain, process information. The key element of this paradigm is the novel structure of the information processing system. It is composed of a large number of highly-interconnected processing elements (neurons) working in unison to solve specific problems. Comprehensive introductions to Neural Networks can be found in (Faussett, 1994) and (Haykin, 1999). NNs are able to derive meaning from complicated and/or imprecise data and to extract patterns that are too complex to be noticed by other computational techniques. No initial knowledge about the problem that is going to be solved is needed. These characteristics make NNs a powerful method to model human behavior and an useful technique to create user models for hypermedia applications.

NNs have been extensively used for user modelling, mainly for classification and recommendation in order to group together users with the same characteristics and create profiles. Some examples are Bidet, Lemoine & Piat (2003), which uses NN to classify user navigation paths and Hsieh (2004) that classifies bank users. Self Organizing Maps (SOM) is a type of unsupervised NN that has also been extensively used for recommendation, because it transforms highly dimensional data into a two dimensional grid, grouping elements with the same characteristics. Goren-Bar et al. (2001) use SOM to classify documents based on a subjectively predefined set of clusters in a specific domain. Roh, Oh & Han (2003) also use SOM to create a recommendation system for movies and Changchien & Lu (2001) use SOM to create a recommendation system for e-commerce.

**Table 3.**

Characteristics of some Genetic and Evolutionary- based User Modeling applications.

	Application	Training Data	Outcome	T	I/G
Min et al. (2001)	Profiling behavior of e-commerce customers.	Set of questions regarding size of company, e-purchasing usage, etc.	GA are useful for the discovery of profiles of e-commerce customers.	R	G
Romero et al. (2003)	Discovering prediction rules from student usage information to improve web courses.	Stored information of a Linux course developed with AHA!	The rules produced are better than traditional rule extraction algorithms.	R	G
Fan et al. (2000)	Personalization of search engines using automatic term weighting	Cranfield text Collection and Federal Register (FR) text collection.	GA Automatic weighting improves the retrieval performance quite dramatically.	F	G
Shin & Lee (2002)	Application of Gas to bankruptcy prediction modeling.	528 externally audited firms, 264 of which filed for bankruptcy.	Preliminary results show that rule extraction approach using Gas for bankruptcy prediction modeling is promising.	C	G
Lee & Tsai (2003)	User modeling for enhance the quality of web searches	Interactions produced by three volunteers with well-knows search engines	Experimental results show that the framework developed is efficient and useful to enhance the quality of web search.	R	I

NNs have also been used for recommendation in (Sas, Reilly & O'Hare, 2003), which predicts the next step for a given user trajectory in a virtual environment, in (Beck et al., 2003) and (Beck & Woolf, 1998) which model student behavior for an intelligent tutoring system and in (Buczak, Zimmerman & Kuparati, 2002) which uses a NN to fuse the recommendations given by a set of personalized TV recommenders.

Nevertheless, due to their ability to capture any kind of knowledge, they have also been used for filtering and prediction tasks, like in Sheppert, Waters and Marath (2002) and Shavlik and Eliassi (2001) respectively. Table 2 summarizes some applications of Neural Networks for UM.

Despite the number of successful applications, NNs still face some important limitations in UM. The main ones are the training time needed to produce a NN-based model (which in certain cases can be measured in the order of many hours or even days) and the amount of data needed. The training time may cause inconvenience when creating models dynamically. Although there are techniques able to retrain NNs, in UM the NN is usually retrained from scratch when, for example, more information comes available, a new user or a new document is added on the AH system. More research in the field of incremental NN learning is needed. Another drawback of NNs is the limited interpretability of their decisions. While other techniques, to different extents, can be interpreted and manually changed, NNs knowledge representations are not easily interpretable, and as a result their application is avoided in cases where human-understandable user models are needed.

### 2.3 Genetic and Evolutionary Algorithms

Genetic Algorithms (GAs), (Goldberg, 1989), and Evolutionary Algorithms (EAs), (Schwefel, 1995) are search algorithms based on the mechanics of natural selection. They begin with a set of potential solutions called the population. Solutions from one population are taken and used to form a new population, which are closer to the optimum solution to the problem at hand. The idea behind this process is the survival of the fittest.

In general, GAs and EAs have been used for Recommendation in the form of rules, which can capture user goals and preferences, because they perform a global search and cope better with attribute interaction than algorithms used in data mining, where the search is more local. Examples of this approach are (Romero, Ventura & de Bra, 2003) for student modeling, (Min, Smolinski & Boratyn, 2001) for profiling of e-commerce customers and (Lee & Tsai, 2003) for capturing users preferences for improvement of web searches.

They have also been applied for filtering (Fan, Gordon & Pathak, 2000) and for classification, as in (Shin & Lee, 2002), which uses GAs to model bankruptcy prediction of companies. Table 3 summarizes relevant applications of Genetic and Evolutionary algorithms for UM. This approach is suitable for searching vast, complex, and multimodal problem spaces but may have some limitations with respect to its potential for dynamic modeling and its computational complexity.

### 2.4 Fuzzy Clustering

The task of clustering is to structure a given set of unclassified instances (data vectors) by creating concepts, based on similarities found on the training data. A clustering algorithm finds the set of concepts that cover all examples verifying that: (1)

**Table 4.**

Characteristics of some Fuzzy Clustering- based User Modeling applications.

	Application	Training Data	Outcome	T	I/G
Lampinen & Koivisto (2002)	Obtain application profiles from network traffic data to manage network resources.	274,000 samples of different applications from an edge router of a LAN network.	FCM produced better results than SOM. A method for the comparison of both solutions is also introduced.	R	G
Nasraoui et al. (1999)	A new algorithm (CARD) to mine user profiles from access logs is proposed.	12 day log data of the Dep. of Comp. Eng. at Univ. of Missouri.	CARD is very effective for clustering many different profiles in user sessions.	R	G
Joshi et al. (2000)	Two algorithms to mine user profiles: FCM dd and FCTMdd.	CSEE logs of Univ. of Maryland.	Both algorithms extract interesting user profiles. FCM is not able to handle noise as effectively as FCTM.	C	G
Krishnapura et al. (2001)	Web access log analysis for user profiling using RFCMdd (Robust Fuzzy c-Medoids).	Five days of CSEE web server activity of Univ. of Maryland.	RFCMdd is very effective for clustering of relational data.	C	G
Shin & Sohn (2004)	Segmentation of customers to find properly graded stock market brokerage commission rates.	3000 randomly selected customers from a stock corporation.	Fuzzy clustering analysis ia a robust approach to model customers.	C	G

the similarity between examples of the same concepts is maximized and (2) the similarity between examples of different concepts is minimized. In a clustering algorithm the key element is the concept of distance used to obtain the similarity between two items of the training set. In non-fuzzy or hard clustering, data is divided into crisp clusters, where each data point belongs to only one cluster. In Fuzzy Clustering (FC), the data points can belong to more than one cluster, and each data point is associated with a set of membership grades that indicate the various degrees this point belongs to the different clusters. The most widely used fuzzy clustering algorithm is the Fuzzy C-Means (FCM) Algorithm (Bezdek, 1981). There are other algorithms, which are basically are variations of the original FCM, like the Fuzzy c-Medoids Algorithm (FCMdd) or the Fuzzy c-Trimered Medoids Algorithm (FCTMdd) (Krishnapuram et al., 2001).

For UM, there are two kinds of interesting clusters to be discovered: usage clusters and page clusters. Clustering of users tends to establish groups of users exhibiting similar browsing patterns. Such knowledge is especially useful for inferring user demographics or interests in order to perform market segmentation in e-commerce applications or provide personalized Web content or notifications to the users. On the other hand, clustering of pages will discover groups of pages having related content. This information is useful for Internet search engines and Web assistance providers.

FC for UM is mostly used for recommendation and classification tasks. (Lampinen & Koivisto, 2002), (Nasraoiu at al., 1999) and (Nasraoui & Krishnapuram, 2000) are examples of applications that implement a recommendation task using FC. Examples of classification tasks are (Joshi et al., 2000), (Krishnapuram et al., 2001) and (Shin & Sohn, 2004). Table 4 summarizes a range of studies and applications of FC for UM.

The main problem that clustering techniques face is how to define the concept of distance that is going to be used. In general some knowledge of the problem is needed to define the concept of distance in the best available way.

When applied to user modelling this problem is even harder due to the nature of the data available: interactions, user preferences, pages visited, etc., which may not be available in numerical form. Different techniques to characterize web user behavior using numerical vectors have been proposed (Joshi et al., 2000, Mobasher et al., 2000), but in one way or another, the representations lose part of the semantics that the original data had. Also, user models developed so far using fuzzy clustering do not fully use the fuzzy nature of the technique in order to create more flexible and adaptive systems. As a consequence, more work is needed to create meaningful ways of mixing the different personalization features and techniques associated with each one of the clusters in which a user can be included when using fuzzy clustering, and evaluate the benefits of this approach.

## 2.5 Neuro-Fuzzy Systems

Neuro-Fuzzy Systems (NFS) use NNs to learn and fine tune rules and/or membership functions from input-output data to be used in a Fuzzy Inference System. With this approach, the drawbacks of NNs and FL, the black box behavior of NNs and the problems of finding suitable membership values for FL, are avoided. NFS automate the process of transferring expert or domain knowledge into fuzzy rules. (Jang & Sun, 1995) and (Jang & Sung, 1997) describe in more detail the basic concepts of NFS. One of the most important NFS is ANFIS (Jang, 1993), which has been used in a wide range of applications (Bonisone, Badami & Chiang, 1995). NFS are especially suited for applications where user interaction in model design or interpretation is desired. NFS are basically FL systems with an automatic learning process provided by NN.

The combination of NN and fuzzy sets offers a powerful method to model human behavior which allows NFS to be used for a variety of tasks. Lee (2002) and Stathacopoulou Grigoriadou & Magoulas (2003) use a NFS for recommendation in an e-commerce site and in an on-line course, respectively. Drigas et al. (2004) provide another example of recommendation task. In this case, jobs are assigned to unemployed people considering user and enterprises profile data. Magoulas, Papanikolaou & Grigoradou (2001) use NFS to implement classification/recommendation system with the purpose of planning the contents of a web-course according to the knowledge level of the student. George and Cardullo (1999) use NFS for prediction tasks within a simulated aircraft control. Table 5 summarizes studies and applications of NFS for UM.

NFS have been designed to retain the positive aspects of NN and FL, nevertheless it still maintains some of the limitations of both approaches, mainly the training time needed and application for dynamic modeling.

## 3 Guidelines for the Selection of Techniques

The preceding discussion has demonstrated that each technique captures different relationships among the data available and expresses it using different data structures. In this section, we present guidelines to help decide which technique to use when developing an AH application.

Table 6 summarizes the characteristics of the techniques presented along seven dimensions. The first four dimensions capture

**Table 5.**  
Characteristics of some NeuroFuzzy- based User Modeling applications.

	Application	Training Data	Outcome	T	I/G
Lee (2001)	Mobile web shopping agent that finds products that suit user needs using a NFS and FL.	A test is implemented using a product data-base with 200 items and 8 categories.	Provides a more efficient result when compared with other solutions; processing time is shorter.	R	I
Stathacopoulou et al. (2003)	Student Modeling	A set of simulated students.	High accuracy in the diagnosis of student problems during learning.	R	G
Magoulas et al. (2001)	Intelligent decision making for recommending educational content in a web-based course depending on knowledge level	"Introduction to Computer Science" course of the Univ. of Athens.	Successful handling of fuzziness associated with the evaluation of learner's knowledge.	C/R	G
George & Cardullo (1999)	Modeling of human behavior.	10 subjects collected data for the one dimensional compensatory task.	Generate a model of human behavior.	P	G
Drigas et al. (2004)	Assignment of jobs to unemployed people using enterprises profile data.	General Secretariat of Social Training database (Greece).	Age and Previous Experience of the applicants seem to be the most determinant fields.	R	G



the main problems that machine learning for UM faces according to Webb, Pazzani & Billsus (2001): Computational Complexity of the learning task; Dynamic Modeling, which indicates the suitability of the technique to change a user model on-the-fly; Labeled/Unlabeled, which reflects the need of labeled data; and size of training data, which reflects the amount of data needed to produce a reliable user model. The remaining dimensions present other relevant information: the ability of the techniques to handle uncertainty in modeling human behavior (Uncertainty), i.e., to produce a user model that takes into account the inherent fuzziness of UM; the ability to handle noisy data (Noise), i.e., how noisy training data will affect the user model produced. Lastly, the interpretability (Interpretability) of the results, i.e., how easy it is for a human to understand the knowledge captured, is considered a critical dimension, as interpretability is often cited as a critical problem that traditional machine learning and data mining methods encounter in UM applications (Li & Zhong, 2004; Kim & Nick Street, 2004).

For example, NNs have a high complexity in training, although they can provide a real-time response time during their operation. NFS have a Medium/High interpretability, which depends on the architecture of the system. For example, ANFIS produce systems with high interpretability. Traditional GAs are not able to cope with dynamic modeling problems, nevertheless some recent approaches present dynamic modeling using evolutionary computation for specific problems (Stemberg & Reynolds, 1997).

**Table 6.**

Characteristics of different Soft Computing techniques applied to User Modeling.

	Complexity	Dynamic Modeling	Labeled /Unlabeled	Size of Training Data	Uncertainty	Noise	Interpretability
Fuzzy Logic	Med	Yes	N/A	N/A	Yes	Yes	High
Neural Networks	High	Yes	Both	High	Yes	Yes	Low
Genetic/Evolutionary	High	No	N/A	N/A	No	Yes	Low
Fuzzy Clustering	High/Med	No	Both	Med/High	Yes	Yes	Low
Neuro-Fuzzy	High	Yes	Labeled	Med/High	Yes	Yes	Med/High

**Table 7.**

SC techniques and interpretability requirements of different tasks.

Type of Task	Interpretability	
	Needed	Not Needed
Prediction	NeuroFuzzy	Neural Networks
	Genetic Algorithms	
Recommendation	NeuroFuzzy	Neural networks
	Fuzzy Logic	Evolutionary Algorithms
		Fuzzy Clustering
Classification	Neuro Fuzzy	Neural Networks
		Fuzzy Clustering
Filtering	Fuzzy Logic	Neural Networks
	Genetic Algorithms	Evolutionary Algorithms

For user-adaptive system, Table 7 presents a classification of SC techniques with respect to possible interpretability requirements looking at the four main types of task introduced in Section 2, i.e. Prediction; Recommendation; Classification and Filtering. Table 7 considers two possible values for Interpretability: needed or not relevant. The first one expresses the necessity of having a human understandable output while the second one states that this factor is not important. It should be made clear that the classification of Table 7 does not necessarily mean that the techniques cannot be used to implement other types of task. For example, NNs are basically used for tasks that need no interpretability. However, methods to extract the knowledge embedded in NN are available in the NNs literature (Ticlek et al., 1998). The combination of Tables 6 and 7 can be used to guide the choice of which technique to be used for UM in an adaptive system. First, Table 7 can be used to identify the set of techniques that

satisfy the interpretability requirements of the adaptive application and, after that, Table 6 can be used to refine the search and take the final decision.

## 4 Conclusions

Hypermedia systems are becoming more important in our everyday activities and their contents and services are ever more varied. This is the main reason why users expect more intelligent and personalized services every time they use a hypermedia system. The key element necessary to provide such intelligent services is the concept of a user model. Due to the variety and amount of information available to create user models, data mining and machine learning techniques can be used to automatically identify user patterns and interests. Nevertheless, traditional machine learning and data mining techniques are not able to capture the inherent uncertainty of human behavior modeling. In this context, soft computing techniques arise as a powerful tool for automatically generate efficient user models for personalization.

This paper has presented a review of recent approaches to UM within the area of AH systems that employ soft computing techniques. The review demonstrates that one of the main problems that the development of AH faces is the lack of any kind of

standardization for the design of user models. In order to improve this situation this paper has tried to give a set of guidelines that formalize the design of user models using a SC approach.

It is our opinion that the future of UM is in hybrid approaches. The most successful part of examples of applications reviewed already combine some form of soft computing with other soft computing techniques, traditional machine learning techniques or symbolic knowledge representation techniques. For example, synergistic approaches that combine neural networks and fuzzy logic, or neural networks and genetic algorithms, neural networks and association rules, neural networks and case-based reasoning, clustering and fuzzy logic or genetic algorithms and rule extraction show great potential for UM. The combination of these SC techniques among themselves and with other machine learning techniques will provide a useful framework to efficiently model the natural complexity of human behavior.

## Acknowledgments

The work presented in this paper is funded by the UK Arts and Humanities Research Board (AHRB grant reference: MRG/AN9183/APN16300).

## References

- Ardissono, L., & Goy, A. (1999). Tailoring the Interaction with Users in Electronic Shops. *Proceedings of the 7<sup>th</sup> International Conference on User Modeling, UM99, Banff, Canada*, 35-44
- Beck, J., Jia, P., Sison, J., & Mostow, J. (2003). Predicting Student Help-Request Behavior in an Intelligent Tutor for Reading. *Proc. of the 9<sup>th</sup> Int. Conf. on User Modelling, Lecture Notes in Artificial Intelligence vol. 2702*, 303-312.
- Beck, J.E., & Woolf, B.P. (1998). Using a Learning Agent with a Student Model. *Proceedings of the 4th International Conference on Intelligent Tutoring Systems Lecture Notes in Computer Science, vol. 1452*, 6-15.
- Bezdek, J.C. (1981). *Pattern Recognition with Fuzzy Objective Function Algorithms*, Plenum Press.
- Bidel, S., Lemoine, L., & Piat, F. (2003). Statistical machine learning for tracking hypermedia user behavior.. *Proceedings of the 2<sup>nd</sup> Workshop on Machine Learning, Information Retrieval and User Modeling, 9<sup>th</sup> Int. Conf. in User Modeling*, 56-65.
- Bonissone, P., Badami, C., & Chiang, X. (1995). Industrial Applications of Fuzzy Logic at General Electric. *Proceedings of the IEEE, 83(3)*, 450-465.
- Buczak, A.L., Zimmerman, J., Kurapati, K. (2002). Personalization: Improving Ease-of-Use, Trust and Accuracy of a TV Show Recommender. *Proceedings of the AH'2002 2<sup>nd</sup> Workshop on Personalization in Future TV*, 9-18.
- Callan, J., Smeaton, A., Beaulieu, M., Borlund, P., Brusilovsky, P., Chalmers, M., Lynch, C., Riedl, J., Smyth, B., & Straccia, U. (2001). Personalization and Recommender Systems in Digital Libraries. *Proc. of the 2<sup>nd</sup> DELOS Workshop on Personalization and Recommender Systems in Digital Libraries*.
- Changchien, S. W. & Lu, T. (2001). Mining association rules procedure to support on-line recommendation by customers and products fragmentation. *Expert Systems with Applications* 20, 325-335.
- Drigas, A., Kouremenos, S., Vrettos, S., Vrettaros & J., Kouremenos, D. (2004). An expert system for job matching of the unemployed. *Expert Systems with Applications* 26, 217-224.
- Erinaki, M. & Vazirgiannis, M. (2003). Web Mining for web personalization. *ACM Transactions on Internet Technology* 3 (1), 1-27.
- Fan, W., Gordon, M. D. & Pathak, P. (2000). Personalization of Search Engine Services for Effective Retrieval and Knowledge Management. *Proceedings of the 21<sup>st</sup> Int. Conf. on Information Systems*, 20-34.
- Fausett L. (1994). *Fundamentals of Neural Networks*. Prentice-Hall.
- George G. & Cardullo, F. (1999). Application of Neuro-Fuzzy Systems to Behavioral Representation in Computer Generated Forces. *Proceedings of the Eighth Conference on Computer Generated Forces and Behavioral Representation (May 11-13, Orlando, Florida)*, 575-585.
- Goldberg, D. (1989). *Genetic Algorithms in Search, Optimization, and Machine Learning*. Addison-Wesley.
- Goren-Bar, D., Kuflik, T., Lev, D. & Shoval, P. (2001). Automatic Personal Categorization Using Artificial Neural Networks. *Proceedings of the 8<sup>th</sup> International Conference on User Modeling 2001, Lecture Notes in Artificial Intelligence, vol. 2109*, 188-198.
- Haykin S. (1999). *Neural Networks, 2nd Edition*. Prentice Hall.
- Hsieh, N. (2004). An integrated data mining and behavioural scoring model for analysing bank customers. *Expert Systems with Applications* 27, 623-633.
- Jang, J.S. (1993). ANFIS: Adaptive-Network-Based Fuzzy Inference Systems. *IEEE Transactions on Systems, Man, and Cybernetics, Vol. 23(3)*, 665-685.
- Jang, J.S.R. & Sun, C.T.: Neurofuzzy modelling and control. *Proceedings IEEE (3.) Vol. 83*, 378-406
- Jang, J.S.R., Sun, C.T. & Mizutani E. (1997). *Neurofuzzy and Soft Computing: a Computational Approach to Learning and Machine Intelligence*. Prentice Hal.
- Joshi, A., Joshi, K. & Krishnapuram, R. (2000). On mining Web Access Logs. *Proceedings of the ACM-SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery*, 63-69.
- Kim, Y. & Nick Street, W. (2004). An intelligent system for customer targeting: a data mining approach. *Decision Support Systems* 37, 215– 228.
- Klir, J. & Yuan, B. (1995). *Fuzzy Sets and Fuzzy Logic. Theory and Applications*. Prentice Hall.
- Kobsa, A. (2001). Generic User Modeling Systems. *User Modeling and User-Adapted Interaction* 11, 49-63.
- Krishnapuram, R., Joshi, A., Nasraoui, O. & Yi, L. (2001). Low-Complexity Fuzzy Relational Clustering Algorithms for Web Mining. *IEEE Transactions on Fuzzy Systems, Vol. 9 (4)*, 595-608.
- Kuo, R.J. & Chen, J.A. (2004). A decision support system for order selection in electronic commerce based on fuzzy neural network supported by real-coded genetic algorithm. *Expert Systems with Applications* 26, 141-154.
- Lampinen, T. & Koivisto, H. (2002). Profiling Network Applications with Fuzzy C-Means Clustering and Self-Organising Map. *Proceedings of the 1<sup>st</sup> Int. Conf. on Fuzzy Systems and Knowledge Discovery: Computational Intelligence for the E-Age*, 300-304.
- Lee, R.S.T. (2002). iJADE IWShopper: A New Age of Intelligent Web Shopping System Based on Fuzzy-Neuro Agent Technology. *Web Intelligence: Research and Development*. Zhong, N., Yao, Y., Liu, J., Ohsuga, S. Editors, *Lecture Notes in Artificial Intelligence, vol. 2198*, 403-412.
- Lee, W. & Tsai, T. (2003). An interactive agent-based system for concept-based web search. *Expert Systems with Applications* 24, 365-373.
- Li, Y. & Zhong, N. (2004). Web mining model and its applications for information gathering. *Knowledge-Based Systems, 17*, 207–217.
- Magoulas, G.D., Papanikolaou, K.A. & Grigoriadou, M. (2001). Neuro-fuzzy synergism for planning the content in a web-based course. *Informatica Vol. 25(1)*, 39-48.
- Min, H., Smolinski, T. & Boratyn, G. (2001). A GA-based Data Mining Approach to Profiling the Adopters of E-purchasing. *Proceedings of the 2001 IEEE 3rd Int. Conf. on Information Reuse and Integration*, 1-6.
- Mobasher, B. & Cooley, R. (2000). Automatic Personalization Based on Web Usage Mining. *Communications of the ACM, vol. 43(8)*, 142-151.
- Nasraoui, O. & Krishnapuram, R. (2000). Extracting Web User Profiles Using Relational Competitive Fuzzy Clustering. *International Journal on Artificial Intelligence Tools, Vol. 9(4)*, 509-526.

- Nasraoui, O. & Petenes, C. (2003). Combining Web Usage Mining and Fuzzy Inference for Website Personalization. *Proceedings of WEBKDD 2003: Web Mining as Premise to Effective Web Applications*, 37-46.
- Nasraoui, O., Cardona, C., Rojas, C. & Gonzalez, F. (2003). Mining Evolving User Profiles in Noisy Web Clickstream Data with a Scalable Immune System Clustering Algorithm. *Workshop Notes of WEBKDD 2003: Web Mining as Premise to Effective & Intelligent Web Applications*, 71-81.
- Nasraoui, O., Frigui, H., Joshi, A. & Krishnapuram, R. (1999). Mining Web Access Logs Using Relational Competitive Fuzzy Clustering. *Proceedings 8<sup>th</sup> Intl. Fuzzy Systems Association World Congress - IFSA 99*.
- Pal, S.K., Talwar, V. & Mitra, P. (2002). Web Mining in Soft Computing Framework: Relevance, State of the Art and Future Directions. *IEEE Transactions on Neural Networks*, Vol. 13(5), 1163 - 1177.
- Perkowitz, M. & Etzioni, O. (2000). Adaptive Web Sites. *Communications of the ACM*, Vol. 43(8), 152-158.
- Pierrakos, D., Paliouras, G., Papatheodorou, C. & Spyropoulos C.D. (2003). Web Usage Mining as a Tool for Personalization : A Survey. *User Modeling and User-Adapted Interaction 13 (4)*, 311-372.
- Riecken, D. (2000). Personalized Views of Personalization. *Communications of the ACM*, Vol. 43 (8), 27-28.
- Roh, T. H., Oh, K.J. & Han, I. (2003). The collaborative filtering recommendation base don SOM cluster-indexing CBR. *Expert Systems with Applications 25*, 413-423.
- Romero, C., Ventura, S. & de Bra, P. (2003). Discovering Prediction Rules in AHA! Courses. *Proceedings of the 9<sup>th</sup> International Conference on User Modeling, LNAI 2702*, 25-34.
- Sas, C., Reilly, R. & O'Hare, G. (2003). A Connectionist Model of Spatial Knowledge Acquisition in a Virtual Environment. *Proceedings 2<sup>nd</sup> Workshop on Machine Learning, Information Retrieval and User Modeling, 9<sup>th</sup> Int. Conf. on User Modelling*, 40-48.
- Schmitt, C., Dengler, D. & Bauer, M. (2003). Multivariate Preference Models and Decision Making with the MAUT Machine. *Proceedings of the 9<sup>th</sup> Int. Conf. on User Modeling, Lecture Notes in Artificial Intelligence*, vol. 2702, 297-302.
- Schwefel, H.P. (1995). *Evolution and Optimum Seeking*. John Wiley & Sons, Inc., New York.
- Shavlik, J. & Eliassi, T. (2001). A System for Building Intelligent Agents that Learn to Retrieve and Extract Information. *User Modeling and User Adapted Interaction 13, Vol. 1-2*, 35-88.
- Sheperd, A., Watters, C. & Marath, A.T. (2002). Adaptive User Modeling for Filtering Electronic News. *Proceedings of the 35th Annual Hawaii Intl. Conf. on System Sciences (HICSS-02)*, Vol. 4, 102.2.
- Shin, H.W. & Sohn, S.Y. (2004). Segmentation of stock customers according to potential value. *Expert Systems with Applications 27*, 27-33.
- Shin, K. & Lee, Y. (2002). A genetic algorithm application in bankruptcy prediction modelling. *Expert Systems with Applications 23*, 321-328.
- Sinha, N.K., Gupta, M.M. & Zadeh, L.A. (eds) (2000). *Outline of Computational Theory of Perceptions Based on Computing with Words*. *Soft Computing & Intelligent Systems*, 3-22, Academic Press.
- Stathacopoulou, R. & Grigoriadou, M., Magoulas, G.D. (2003). A Neuro-fuzzy Approach in Student Modeling. *Proceeding of the 9<sup>th</sup> Int. Conf. on User Modeling, UM2003, Lecture Notes in Artificial Intelligence*, vol. 2702, 337-342.
- Sternberg, M. & Reynolds, R.G. (1997). Using cultural algorithms to support re-engineering of rule-based expert systems in dynamic performance environments: a case study in fraud detection. *IEEE Transactions on Evolutionary Computation*, Vol. 1(4), 225-243.
- Ticlek, A.B., Andrews, R., Golea, M. & Diederich, J. (1998). The truth will come to light: directions and challenges in extracting the knowledge embedded within trained artificial neural networks. *IEEE Trans. on Neural Networks*, Vol. 9(6), 1057-1068.
- Vrettos, S. & Stafylopatis, A. (2002). A Fuzzy Rule-Based Agent for Web Retrieval-Filtering. *Web Intelligence: Research and Development*, Zhong, N., Yao, Y., Liu, J., Ohsuga, S. Editors, *Lecture Notes in Artificial Intelligence*, vol 2198, 448-453.
- Webb, G.I., Pazzani, M.J. & Billsus, D. (2001). Machine Learning for User Modeling. *User Modeling and User-Adapted Interaction*, Vol. 11, Issue 1-2, 19-29.
- Witten, I.H. & Frank E. (1999). *Data Mining. Practical Machine Learning Tools and Techniques with JAVA Implementations*. Morgan Kaufman Publishers.
- Yan, J., Ryan, M. & Power, J.: (1994). *Using Fuzzy Logic*. Prentice Hall.
- Zukerman, I., Albrecht, D.W. & Nicholson, A.E. (1999). Predicting Users Request on the WWW. *Proceedings of the 7th International Conference on User Modeling, UM99*, 275-284.