



BIROn - Birkbeck Institutional Research Online

Chen, Taolue and Han, Tingting and Cao, Y. (2018) Polynomial-time algorithms for computing distances of Fuzzy Transition Systems. *Theoretical Computer Science* 727 , pp. 24-36. ISSN 0304-3975.

Downloaded from: <https://eprints.bbk.ac.uk/id/eprint/21449/>

Usage Guidelines:

Please refer to usage guidelines at <https://eprints.bbk.ac.uk/policies.html>
contact lib-eprints@bbk.ac.uk.

or alternatively



ELSEVIER

Contents lists available at ScienceDirect

Theoretical Computer Science

www.elsevier.com/locate/tcs

Polynomial-time algorithms for computing distances of fuzzy transition systems

Taolue Chen ^{a,c}, Tingting Han ^{a,*}, Yongzhi Cao ^b^a Department of Computer Science and Information Systems, Birkbeck, University of London, UK^b Key Laboratory of High Confidence Software Technologies (MOE), School of Electronics Engineering and Computer Science, Peking University, Beijing 100871, China^c State Key Laboratory for Novel Software Technology, Nanjing University, China

ARTICLE INFO

Article history:

Received 26 March 2017

Received in revised form 26 February 2018

Accepted 1 March 2018

Available online xxxx

Communicated by R. van Glabbeek

Keywords:

Fuzzy transition systems

Fuzzy automata

Pseudo-ultrametric

Algorithm

ABSTRACT

Behaviour distances to measure the resemblance of two states in a (nondeterministic) fuzzy transition system have been proposed recently in literature. Such a distance, defined as a pseudo-ultrametric over the state space of the model, provides a quantitative analogue of bisimilarity. In this paper, we focus on the problem of computing these distances. We first extend the definition of the pseudo-ultrametric by introducing discount such that the discounting factor being equal to 1 captures the original definition. We then provide polynomial-time algorithms to calculate the behavioural distances, in both the non-discounted and the discounted setting. The algorithm is strongly polynomial in the former case.

© 2018 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Fuzzy automata and fuzzy languages are standard computational devices for modelling uncertainty and imprecision due to fuzziness. Classical fuzzy automata are *deterministic*, namely, when in the current state and reading a symbol, the automaton can only move to a unique next (fuzzy) state. In [4], Cao et al. argued that *nondeterminism* is essential for modelling certain aspects of system, such as scheduling freedom, implementation freedom, the external environment, and incomplete information. Hence, they introduced nondeterminism into the model of fuzzy automata, giving rise to *nondeterministic fuzzy automata*, or more generally, (nondeterministic) *fuzzy transition systems*.

In general, system theory mainly concerns modelling systems and analysis of their properties. One of the fundamental questions studied in system theory is regarding the notion of equivalence, i.e., when can two systems be deemed the same and when can they be inter-substituted for each other? In the classical investigation in concurrency theory, *bisimulation*, introduced by Park and Milner [23], is a ubiquitous notion of equivalence which has become one of the primary tools in the analysis of systems: when two systems are bisimilar, known properties are readily transferred from one system to the other. However, it is now widely recognised that traditional equivalences are not a robust concept in the presence of *quantitative* (i.e. numerical) information in the model (see, e.g., [15]). Instead, it should come up with a more robust approach to distinguish system states. To accommodate this, researchers have borrowed from pure mathematics the notion of metric. A metric is often defined as a function that associates some *distance* with a pair of elements. Here, it is exploited to provide a measure of the discrepancy between two states that are not exactly bisimilar. Probabilistic systems and fuzzy transition

* Corresponding author.

E-mail addresses: taolue@dcs.bbk.ac.uk (T. Chen), tingting@dcs.bbk.ac.uk (T. Han), caoyz@pku.edu.cn (Y. Cao).

<https://doi.org/10.1016/j.tcs.2018.03.002>

0304-3975/© 2018 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

systems are two typical examples of systems featuring quantitative nature. For probabilistic systems, the notion of distance in terms of pseudo-metrics has been studied extensively (cf. the related work). For fuzzy transition systems, Cao et al. [5] proposed a similar notion which serves as an analogue of those in probabilistic systems. Technically, a *pseudo-ultrametric*, instead of a pseudo-metric, was adopted. We refer the readers to Section 2 for formal definitions.

Having a proper definition of distance at hand, the next natural question is: how to compute it for a given pair of states? This raises some algorithmic challenges. For probabilistic systems, different algorithms have been provided for a variety of stochastic models (cf. the *related work*). However, to the best of our knowledge, little is known as for the corresponding algorithms in fuzzy transition systems. Indeed, in [5] this was left as an open problem, which is the main focus of the current paper.

On a different matter, *discounting* (or inflation) is a fundamental notion in economics and has been studied in, among others, Markov decision processes as well as game theory. Discounting represents the difference in importance between the future values and the present values. For instance, assuming a real-valued discount factor $0 < \gamma < 1$. A unit payoff is 1 if the payoff occurs today, but it becomes γ if it occurs tomorrow, γ^2 if it occurs the day after tomorrow, and so on. When $\gamma = 1$, the value is *not* discounted. Discounting has a natural place in system engineering; as a simple example, a potential bug in the far-away future is less troubling than a potential bug today [11]. In other words, discounting models preference for shorter solutions.

We introduce discounting into the distance definition for fuzzy transition systems, as done in probabilistic systems [28]. This is complementary to the definition given in [5]. In a nutshell, when measuring the distance between two states, the distance of their one-step successors are a times less important, and the distance between their two-step successors are a^2 times less important, etc.

Contributions. The main contributions of this paper are as follows:

- (1) We extend the pseudo-ultrametric definition given in [5] for non-discounted setting to the *discounted* setting;
- (2) We present polynomial-time algorithms to compute the behavioural distance, in both non-discounted (i.e., the original definition in [5]) and discounted setting (defined in the current paper).

Some explanations are in order. Regarding (1), remark that the definition in [5] is given in the *non-discounted* setting, where the present distances and the distances in future are equally weighted. In our setting, the discounting will be taken into consideration. Regarding (2), the basic ingredient of our algorithms is the standard “value iteration” procedure *à la* Kleene (Kleene’s fixpoint theorem [22]). To qualify a polynomial-time algorithm, we show two facts: (i) For each iteration, it only needs polynomial time. Note that according to the definition of pseudo-ultrametric, each step requires to solve a (non-standard) mathematical programming problem (cf. Section 2). We show this can be done in polynomial-time. This part is identical for both discounted and non-discounted cases. (ii) The number of iterations is polynomially bounded. In the non-discounted case, this is done by inspecting the possible values appearing in each iteration. For the discounted case, unfortunately this does not hold. Instead, our strategy is to firstly compute an approximation of the sought value, and then apply the continued fraction algorithm to obtain the precise value. To the best of our knowledge, we are not aware of any previous work on polynomial algorithms for computing behaviour distances in fuzzy transition systems.

Fuzzy transition systems are known as *possibility systems* which are closely related to the *probabilistic* systems. Our algorithm and its analysis reveal some interesting difference between these two types of models, especially in the non-discounted case. Indeed, the scheme used in the paper cannot yield a polynomial-time algorithm for discrete-time Markov chains: There is an explicit example showing that it might take exponentially many iterations to reach the fixpoint; see [6]. As a matter of fact, for discrete-time Markov chains (which are the counterpart of deterministic fuzzy transition systems), polynomial-time algorithms do exist, but one has to appeal to linear programming [6]. This, however, does not provide a strongly polynomial-time algorithm.¹ Even worse, for Markov decision processes (which are the counterpart of nondeterministic fuzzy transition systems), the best known upper-bound is $\text{NP} \cap \text{co-NP}$ [18].² In contrast, here we give a strongly polynomial-time algorithm for (nondeterministic) fuzzy transition systems.

Related work.

Fuzzy systems, fuzzy automata and fuzzy transition systems. Conventionally, fuzzy systems are mainly referred to as fuzzy rule based systems where fuzzy states (outputs) evolve over time under some (maybe fuzzy) controls. In this paper, we are mainly interested in a type of fuzzy system models which are based on fuzzy automata [31]. Typically, fuzzy automata are considered to be acceptors of fuzzy languages. However, for the purpose of the current paper, we consider fuzzy transition systems, which are, in a nutshell, nondeterministic fuzzy automata without accepting states. Hence, we disregard the language aspect of fuzzy automata, but focus on their dynamics.

Metrics on other types of systems. Giacalone et al. [19] were the first to suggest a metric between *probabilistic transition systems* to formalise the notion of distance between processes. Subsequently, [15] studied a logical pseudometric for *labelled*

¹ It is a long-standing open problem whether linear programming admits a strongly polynomial-time algorithm.

² A (weakly) polynomial-time algorithm in this case would resolve a long-standing open problem on simple stochastic games for almost 30 years.

Markov chains. A similar pseudometric was defined in [30] via the terminal coalgebra of a functor based on a metric on the space of Borel probability measures. [16] dealt with labelled concurrent Markov chains. [13] considered a slightly more general framework, called *action-labelled quantitative transition systems*. They defined a pseudometric which was an adaptation of the one in [16]. Furthermore [17] considered pseudometric over Markov decision processes with a continuous state space.

Algorithms for calculating metrics. Apart from the work discussed above, [29] gave an approximation algorithm based on linear programming and iteration. [28] proposed an algorithm for Markov chains, based on the first-order theory of reals, which was extended to simple probabilistic automata in [7]. These algorithms are not optimal. [27] also presented an algorithm for computing distance between probabilistic automata. However, their definition was considerably different from what is widely adopted in literature.

Equivalence and metrics in fuzzy systems. Relate to the fuzzy transition systems, different notions of bisimulation and simulation have been introduced into traditional fuzzy automata [8,21], weighted automata [2], and quantitative transition systems [24]. Ćirić et al. [9] proposed algorithms to compute these relations. Recently, Deng and Wu [14] provided a modal characterisations of fuzzy bisimulation. As an application of fuzzy bisimulation theory, Deng and Qiu [12] developed the supervisory control of fuzzy discrete-event systems based on simulation equivalence. To the best of our knowledge, this is the first paper to study (polynomial) algorithms of computing the distances between two fuzzy transition systems.

Structure of the paper. This paper is set up as follows. In Section 2, we present some background knowledge. In Section 3, 4 and 5 we provide two polynomial-time algorithms for the non-discounted and discounted case, respectively. The correctness of the algorithms is also shown. We conclude our work in Section 6.

2. Preliminaries

We write \mathbb{Q} for the set of rationals. Let X be a finite set. A *fuzzy subset* (or simply *fuzzy set*) of X is a function $\mu : X \rightarrow [0, 1]$. Such functions are called *membership functions*; intuitively the value $\mu(x)$ captures the degree of membership of x in μ . A fuzzy (sub)set of X can be used to formally represent a *possibility distribution* over X .

The *support* of a fuzzy set μ is defined as $\text{Supp}(\mu) = \{x \mid \mu(x) > 0\}$. If $\text{Supp}(\mu)$ is finite, we adopt Zadah’s notation. Namely, assuming $\text{Supp}(\mu) = \{x_1, x_2, \dots, x_n\}$, we write μ as:

$$\mu = \frac{\mu(x_1)}{x_1} + \frac{\mu(x_2)}{x_2} + \dots + \frac{\mu(x_n)}{x_n}.$$

We write $\mathcal{F}(X)$ and $\mathcal{P}(X)$ for the set of all fuzzy subsets and the power set of X respectively. For any $\mu, \eta \in \mathcal{F}(X)$, we say that μ is contained in η (or η contains μ), denoted by $\mu \subseteq \eta$, if $\mu(x) \leq \eta(x)$ for all $x \in X$. Note that $\mu = \eta$ if both $\mu \subseteq \eta$ and $\eta \subseteq \mu$. A fuzzy set μ of X is *empty* if $\mu(x) = 0$ for any $x \in X$. We usually write \emptyset for the empty fuzzy set.

For any family $\{\lambda_i\}_{i \in I}$ of elements in $[0, 1]$, we write $\bigvee_{i \in I} \lambda_i$ or $\vee\{\lambda_i \mid i \in I\}$ for the supremum of $\{\lambda_i \mid i \in I\}$, and correspondingly $\bigwedge_{i \in I} \lambda_i$ or $\wedge\{\lambda_i \mid i \in I\}$ for the infimum. Note that if I is finite, $\bigvee_{i \in I} \lambda_i$ and $\bigwedge_{i \in I} \lambda_i$ are the greatest element and the least element of $\{\lambda_i \mid i \in I\}$, respectively. For any $\mu \in \mathcal{F}(X)$ and $U \subseteq X$, $\mu(U)$ stands for $\bigvee_{x \in U} \mu(x)$.

2.1. Fuzzy transition systems

Definition 1 ([5]). A *fuzzy transition system* (FTS) is a tuple $\mathcal{M} = (S, A, \delta)$ where

- S is a finite set of *states*,
- A is a finite set of *labels*,
- $\delta : S \times A \rightarrow \mathcal{P}(\mathcal{F}(S))$ is a *fuzzy transition function*.

Given an FTS (S, A, δ) and $s \in S, a \in A$, we say $s \xrightarrow{a} \mu$ is a *fuzzy transition* if $\mu \in \delta(s, a)$. An FTS is *finite* if both S and A are finite. Throughout this paper, we only consider finite FTSs. Let $\text{Act}(s) = \{a \in A \mid \exists \mu \in \mathcal{F}(S), s \xrightarrow{a} \mu\}$ be the set of actions enabled in state s .

Below we leverage the example, originally given in [5], to illustrate the FTS.

Example 1. The FTS \mathcal{M} is depicted in Fig. 1, where $S = \{s_1, s_2, s_3, s_4\}$, $A = \{a\}$ and the transitions are $s_1 \xrightarrow{a} \mu, s_2 \xrightarrow{a} \eta$ and $s_3 \xrightarrow{a} \nu$. Note that here $\mu = \frac{0.9}{s_3} + \frac{0.8}{s_4}, \eta = \frac{0.6}{s_3} + \frac{0.9}{s_4}$, and $\nu = \frac{0.9}{s_4}$. □

For complexity consideration, we assume that all the values in \mathcal{M} are rational numbers. We also need to measure the size of \mathcal{M} . Different computational models have different size measures. For the arithmetic model of computation (for instance, *unit-cost arithmetic Random Access Machine*) we define $|\mathcal{M}|$ to be the sum of the size of the state space and the number of the entries of the transition functions. Formally $|\mathcal{M}| = |S| + \sum_{s \in S, a \in A, \mu \in \delta(s, a)} |\text{Supp}(\mu)|$, where $|\cdot|$ denotes the cardinality of a set. For the Turing machine model, we define $\|\mathcal{M}\|$ taking into account the number of bits to encode the rational numbers in \mathcal{M} . Formally $\|\mathcal{M}\| = |S| + \sum_{s \in S, a \in A, \mu \in \delta(s, a)} \|\text{Supp}(\mu)\|$. Here for each finite set $X \subseteq \mathbb{Q}$,




Fig. 1. Fuzzy transition system \mathcal{M} .

$\|X\| = \sum_{x \in X} \|x\|$, where $\|x\|$ is the number of bits to encode x in binary (rational numbers are represented as a fraction). Obviously $\|\mathcal{M}\| \leq \|M\|$. We use the standard notation $\lceil r \rceil$ to denote the smallest integer greater than or equal to a real number r .

Example 2. For the FTS \mathcal{M} in Fig. 1, $\|\mathcal{M}\| = 4 + 2 + 2 + 1 = 9$, as $|S| = 4$, $|\text{Supp}(\mu)| = |\text{Supp}(\eta)| = 2$, and $|\text{Supp}(\nu)| = 1$. Whereas $\|\text{Supp}(\mu)\| = \lceil \frac{9}{10} \rceil + \lceil \frac{8}{10} \rceil = \lceil \log_2 9 \rceil + \lceil \log_2 10 \rceil + \lceil \log_2 8 \rceil + \lceil \log_2 10 \rceil = 15$. Note that here \log is to base 2 and $\lceil \log_2 9 \rceil + \lceil \log_2 10 \rceil$ bits are needed to encode 0.9 in binary. \square

2.2. Behavioural metrics

Definition 2. Let X be a nonempty set. A function $d : X \times X \rightarrow [0, 1]$ is a *pseudo-ultrametric* on X if for all $x, y, z \in X$:

1. $d(x, x) = 0$;
2. $d(x, y) = d(y, x)$; and
3. $d(x, z) \leq d(x, y) \vee d(y, z)$.

The pair (X, d) is a pseudo-ultrametric space. For simplicity we often write X instead of (X, d) . In the paper we only consider $[0, 1]$ -valued pseudo-ultrametrics. This, however, is without loss of generality; see [3] for discussions.

Let $\mathcal{D}(S)$ be the set of all pseudo-ultrametrics on S . For any $d \in \mathcal{D}(S)$, we lift it to a pseudo-ultrametric on $\mathcal{F}(S)$, as follows.

Definition 3 (Lifting). Let $d \in \mathcal{D}(S)$. For any $\mu, \eta \in \mathcal{F}(S)$, if $\mu(S) \neq \eta(S)$, we define $\hat{d}(\mu, \eta) = 1$; otherwise, we define $\hat{d}(\mu, \eta)$ as the value of the following mathematical programming problem (MP):

$$\text{minimise} \quad \bigvee_{s, t \in S} (d(s, t) \wedge x_{st}) \tag{1}$$

$$\text{subject to} \quad \bigvee_{t \in S} x_{st} = \mu(s) \quad \forall s \in S \tag{2}$$

$$\bigvee_{s \in S} x_{st} = \eta(t) \quad \forall t \in S \tag{3}$$

$$x_{st} \geq 0 \quad \forall s, t \in S \tag{4}$$

It is shown in [3, Theorem 1] that for each $d \in \mathcal{D}(S)$, \hat{d} is a pseudo-ultrametric on $\mathcal{F}(S)$.

Definition 4. We define the order \leq on $\mathcal{D}(S)$ as

$$d_1 \leq d_2 \text{ if } d_1(s, t) \leq d_2(s, t) \text{ for all } s, t \in S.$$

A partially ordered set (X, \leq) is a *complete lattice* if every subset of X has a supremum and an infimum in (X, \leq) . It can be easily shown that $(\mathcal{D}(S), \leq)$ is a complete lattice, following the same argument in [3, Lemma 2], with the supremum and infimum given by $\bigvee_{s, t \in S, d \in \mathcal{D}(S)} d(s, t)$ and $\bigwedge_{s, t \in S, d \in \mathcal{D}(S)} d(s, t)$.

Now we extend \hat{d} to a distance measure on the sets of possibility distributions by appealing to the Hausdorff distance which measures how far two subsets of a metric space are from each other [25]. Informally, the Hausdorff distance is the longest distance of either set to the nearest point in the other set. We consider the Hausdorff distance for a pseudo-ultrametric space.

Definition 5. Let (X, d) be a pseudo-ultrametric space. For any $x \in X$ and $Y \subseteq X$, define

$$d(x, Y) = \begin{cases} \bigwedge_{y \in Y} d(x, y), & \text{if } Y \neq \emptyset \\ 1, & \text{otherwise} \end{cases}$$

Further, given a pair $Y, Z \subseteq X$, the Hausdorff distance induced by d is defined as

$$H_d(Y, Z) = \begin{cases} 0, & \text{if } Y = Z = \emptyset \\ (\bigvee_{y \in Y} d(y, Z)) \vee (\bigvee_{z \in Z} d(z, Y)), & \text{otherwise} \end{cases}$$

It is shown in [3, Lemma 3] that, if d is a pseudo-ultrametric on X , H_d is a pseudo-ultrametric on $\mathcal{P}(X)$.

Example 3. Given Fig. 1, let $Y = \{s_1, s_2\} \subseteq S$ and $Z = \{s_3, s_4\} \subseteq S$. The distance d_3 is defined as follows: $d_3(s_1, s_3) = 0.92$, $d_3(s_1, s_4) = 0.83$, $d_3(s_2, s_3) = 0.66$, $d_3(s_2, s_4) = 0.75$. As a result, $d_3(s_1, Z) = \min\{d_3(s_1, s_3), d_3(s_1, s_4)\} = \min\{0.92, 0.83\} = \underline{0.83}$, and $d_3(s_2, Z) = \min\{d_3(s_2, s_3), d_3(s_2, s_4)\} = \min\{0.66, 0.75\} = \underline{0.66}$. Meanwhile, $d_3(s_3, Y) = \inf\{d_3(s_3, s_1), d_3(s_3, s_2)\} = \min\{0.92, 0.66\} = \underline{0.66}$, and $d_3(s_4, Y) = \min\{d_3(s_4, s_1), d_3(s_4, s_2)\} = \min\{0.83, 0.75\} = \underline{0.75}$. The Hausdorff distance induced by d_3 is defined as

$$\begin{aligned} H_{d_3}(Y, Z) &= \max\{d_3(s_1, Z), d_3(s_2, Z), d_3(s_3, Y), d_3(s_4, Y)\} \\ &= \max\{\underline{0.83}, \underline{0.66}, \underline{0.66}, \underline{0.75}\} = 0.83. \quad \square \end{aligned}$$

Note that any $d \in \mathcal{D}(S)$ induces a pseudo-ultrametric \hat{d} on $\mathcal{F}(S)$ which, in turn, yields a pseudo-ultrametric $H_{\hat{d}}$ on $\mathcal{P}(\mathcal{F}(S))$. We are now in a position to define a functional Δ on $\mathcal{D}(S)$.

Definition 6. The functional $\Delta^\gamma : \mathcal{D}(S) \rightarrow \mathcal{D}(S)$ is defined as follows. For any $d \in \mathcal{D}(S)$, $\Delta^\gamma(d)$ is given by

$$\Delta^\gamma(d)(s, t) = \gamma \cdot \bigvee_{a \in A} H_{\hat{d}}(\delta(s, a), \delta(t, a))$$

for all $s, t \in S$, where $\gamma \in (0, 1]$ is the *discounting factor*.

It is rather straightforward to check that $\Delta^\gamma(d) \in \mathcal{D}(S)$ by [3, Lemma 3], which means that Δ^γ is well defined. In case $\gamma = 1$, it is shown in [3, Lemma 4] that the functional $\Delta^1 : \mathcal{D}(S) \rightarrow \mathcal{D}(S)$ is monotonic with respect to the partial order \preceq . One can also see that this holds as well in the case that $\gamma \in (0, 1)$. By Tarski’s fixpoint theorem [26], Δ^γ admits a *least* fixpoint Δ_{\min}^γ given by

$$\Delta_{\min}^\gamma = \bigwedge \{d \in \mathcal{D}(S) \mid \Delta^\gamma(d) \preceq d\}.$$

This is what we are after as a distance measure on the pairs of states in an FTS. Note that

Definition 7. Let (S, A, δ) be an FTS and $\gamma \in (0, 1]$ be the discounting factor. For any $s, t \in S$, the *behavioural distance* between s and t , denoted $d_f^\gamma(s, t)$ (f stands for fixpoint), is defined as

$$d_f^\gamma(s, t) = \Delta_{\min}^\gamma(s, t).$$

Remark 1. In [3], the order \preceq is defined in the reverse direction as in Definition 4, i.e., $d_1 \preceq d_2$ if $d_1(s, t) \geq d_2(s, t)$. Accordingly, d_f^γ is defined as the greatest fixpoint (as opposed to the least fixpoint here). This is used to mimic the bisimulation which is commonly defined as the greatest fixpoint in the literature. Nevertheless these two definitions are equivalent.

Remark 2 (Discounting). The transitions could be written as $s \xrightarrow{a} \mu$ and $t \xrightarrow{a} \eta$. In other words, the one-step successors of s and t are the distributions μ and η . The distance between s and t is calculated by the Hausdorff distance between their one-step successors. As it is one step away from s and t , the contribution of the distance will be discounted by γ .

3. Polynomial algorithms for computing distances

In this section, we provide a sketch of algorithms to compute the behaviour distance defined in Definition 7 for the non-discounted case ($\gamma = 1$) and discounted case ($0 < \gamma < 1$). The basic ingredient of these algorithms is the standard Kleene iteration as they are both defined as the least fixpoint of a monotonic function.

Proposition 1. Let (S, A, δ) be an FTS and γ be the discounting factor. Define $(\Delta^\gamma)^0(\perp) = \perp$ and $(\Delta^\gamma)^{n+1}(\perp) = \Delta^\gamma[(\Delta^\gamma)^n(\perp)]$, where \perp is given by $\perp(s, t) = 0$ for all $s, t \in S$. Then $d_f^\gamma = \Delta_{\min}^\gamma = \bigvee\{(\Delta^\gamma)^n(\perp) \mid n \in \mathbb{N}\}$.

Proof. By Kleene’s fixpoint theorem, the least fixpoint Δ_{\min}^γ can be obtained by iteration of Δ^γ starting from the least element \perp (see, for example, [10]). As a result, to verify that $\Delta_{\min}^\gamma = \bigvee\{(\Delta^\gamma)^n(\perp) \mid n \in \mathbb{N}\}$, it suffices to show that the closure ordinal of Δ^γ , i.e., the least ordinal n such that $(\Delta^\gamma)^{n+1} = (\Delta^\gamma)^n$, is at most ω . In fact, for any $(s, t) \in S \times S$, if $s \xrightarrow{a} \mu$, then for each $d_n = (\Delta^\gamma)^n(\perp)$, there exists η_n such that $t \xrightarrow{a} \eta_n$ and $\hat{d}_n(\mu, \eta_n) \leq d_n(s, t)$. Because the FTS under the complexity consideration is finite, which means that $\delta(t, a)$ is finite, there is an η_n , say η , such that $t \xrightarrow{a} \eta$ and $\hat{d}_n(\mu, \eta) \leq d_n(s, t)$ for all but finitely many n , as desired. \square

As mentioned in Section 1, Proposition 1 does not yield an outright polynomial-time algorithm. For our purpose, essentially one has to show that

- (1) the (non-standard) mathematical programming (MP) problem can be solved in polynomial time; and
- (2) it only requires polynomially many iterations to reach the fixpoint.

In the sequel, we will show both are indeed the case. For (1), we shall present a polynomial-time algorithm that, given d and $s, t \in S$, computes

$$\Delta^\gamma(d)(s, t) = \gamma \cdot \bigvee_{a \in A} H_{\hat{d}}(\delta(s, a), \delta(t, a)).$$

Intuitively, $\Delta^\gamma(d)(s, t)$ is the new distance of s and t after applying the functional Δ^γ to function d (one iteration). This suffices to show that each iteration Δ^γ can be done in polynomial time in either case. For (2) it turns out that the non-discounted and discounted case demand different arguments which we will provide in Section 4 and Section 5, respectively.

4. The non-discounted case

In this section, we consider the non-discounted case, i.e., $\gamma = 1$. We omit the superscript 1 of Δ^1 and simply write Δ instead.

4.1. The construction of an MP problem

We start with some simple observations. Given any \mathcal{M} , we write $\Theta_{\mathcal{M}}$ to be

$$\{\mu(s) \mid s \in S, \mu \in \mathcal{F}(S)\} \cup \{0, 1\}.$$

Clearly $|\Theta_{\mathcal{M}}| \leq |\mathcal{M}|$. Intuitively, $\Theta_{\mathcal{M}}$ is the set of values appearing in \mathcal{M} as degrees of membership as well as 0 and 1.

Example 4. Given the FTS \mathcal{M} in Fig. 1, $\Theta_{\mathcal{M}} = \{0, 0.6, 0.8, 0.9, 1\}$. \square

The following lemma has been implied in [5, p. 738, Remark 1] and is rather straightforward. Hence the proof is omitted.

Lemma 1. Let $\Delta(d)(s, t) = \bigvee_{a \in A} H_{\hat{d}}(\delta(s, a), \delta(t, a))$, for any $s, t \in S$. It holds that $\Delta(d)(s, t) \in \Theta_{\mathcal{M}} \cup \{d(s, t) \mid s, t \in S\}$.

We note that this observation does not hold in the discounted case. Owing to this observation, to calculate $\Delta(d)(s, t)$, we only need to test whether each member of $\Theta_{\mathcal{M}} \cup \{d(s, t) \mid s, t \in S\}$ can be attained and the least attained value is the sought one. Hence we can reduce the optimisation problem to the feasibility testing of a system of equations Π of the following form:

$$\begin{cases} \bigvee_{1 \leq i, j \leq n} (d_{ij} \wedge x_{ij}) = c & (*) \\ x_{11} \vee x_{12} \cdots \vee x_{1k_1} = a_1 \\ \vdots \\ x_{m1} \vee x_{m2} \cdots \vee x_{mk_m} = a_m \end{cases},$$

where $c \in \Theta_{\mathcal{M}} \cup \{d(s, t) \mid s, t \in S\}$. To this end, we first rewrite Eq. (*) as

$$\bigvee Y = c, \text{ where } Y = \{x_{ij} \mid d_{ij} \geq c\}, \quad (**)$$

and thus obtain Π' as

$$\left\{ \begin{array}{l} \vee Y = c, \text{ where } Y = \{x_{ij} \mid d_{ij} \geq c\} \\ x_{11} \vee x_{12} \cdots \vee x_{1k_1} = a_1 \\ \vdots \\ x_{m1} \vee x_{m2} \cdots \vee x_{mk_m} = a_m \end{array} \right. \quad (5)$$

Below we leverage the example FTS in Fig. 1 to illustrate the construction.

Example 5. Recall that here $\mu = \frac{0.9}{s_3} + \frac{0.8}{s_4}$ and $\eta = \frac{0.6}{s_3} + \frac{0.9}{s_4}$. In this example, we show given d_1 such that $d_1(i, i) = 0$ for all $i \in \{1, \dots, 4\}$ and $d_1(i, j) = 1$ for all $i \neq j$ and $i, j \in \{1, \dots, 4\}$. Here, $\Theta_{\mathcal{M}} \cup \{d(s, t) \mid s, t \in S\} = \{0, 0.6, 0.8, 0.9, 1\}$. In this example, we pick $c = 0.6$, and the system Π' of equations is as follows:

$$\left\{ \begin{array}{ll} \bigvee_{i \neq j} x_{ij} = c = 0.6 & \\ x_{11} \vee x_{12} \vee x_{13} \vee x_{14} = 0 & \mu(s_1) = 0 \\ x_{21} \vee x_{22} \vee x_{23} \vee x_{24} = 0 & \mu(s_2) = 0 \\ x_{31} \vee x_{32} \vee x_{33} \vee x_{34} = 0.9 & \mu(s_3) = 0.9 \\ x_{41} \vee x_{42} \vee x_{43} \vee x_{44} = 0.8 & \mu(s_4) = 0.8 \\ x_{11} \vee x_{21} \vee x_{31} \vee x_{41} = 0 & \eta(s_1) = 0 \\ x_{12} \vee x_{22} \vee x_{32} \vee x_{42} = 0 & \eta(s_2) = 0 \\ x_{13} \vee x_{23} \vee x_{33} \vee x_{43} = 0.6 & \eta(s_3) = 0.6 \\ x_{14} \vee x_{24} \vee x_{34} \vee x_{44} = 0.9 & \eta(s_4) = 0.9 \end{array} \right. \quad (6)$$

Note that systems of equations for other values of c can be constructed in the same way. \square

4.2. Checking feasibility

Recall that now we have a system of equations Π (which can be rewritten as Π'). Our task is to check whether both Π and Π' are feasible, i.e., whether there exists a solution to make Π and Π' hold.

Lemma 2. Π is feasible iff Π' is feasible.

Proof. It is to show that (*) and (**) are equivalent. We rewrite (*) as $\sup_{1 \leq i, j \leq n} \{(d_{ij} \wedge x_{ij})\} = c$. For all $1 \leq i, j \leq n$, if $d_{ij} < c$, then $d_{ij} \wedge x_{ij} < c$. As a result, this $(d_{ij} \wedge x_{ij})$ is not contributing to $\sup_{1 \leq i, j \leq n} \{(d_{ij} \wedge x_{ij})\} = c$ and can be removed. \square

Given Lemma 2, it remains to show how to check the feasibility of a system of equations Π' of the form

$$\left\{ \begin{array}{l} x_{11} \vee x_{12} \cdots \vee x_{1k_1} = a_1 \\ \vdots \\ x_{m1} \vee x_{m2} \cdots \vee x_{mk_m} = a_m \end{array} \right.$$

For this purpose, we construct a valuation for x_i ($1 \leq i \leq n$) as

$$x_i = \min\{a_\ell \mid a_\ell \text{ is the RHS of an equation } \pi_\ell \text{ of } \Pi' \text{ s.t. } x_{i,j} \text{ occurs in } \pi_\ell\}$$

The following lemma plays a vital role. In other words, in order to check the feasibility of Π' , it suffices to check whether $\vec{x} = (x_i)_{1 \leq i \leq n}$ is a solution of Π' . This can be done in linear time.

Lemma 3. Π' is feasible iff $\vec{x} = (x_i)_{1 \leq i \leq n}$ is a solution of Π' .

Proof. The “if” part is obvious and we will focus on the “only if” part. Fix any $1 \leq i \leq m$. By the definition of \vec{x} , we have that, for each $1 \leq j \leq k_i$, $x_{ij} = \min\{a_\ell \mid x_{\ell h} = x_{ij} \text{ for some } 1 \leq h \leq k_\ell\}$. Clearly $a_i \in \{a_\ell \mid x_{\ell h} = x_{ij} \text{ for some } 1 \leq h \leq k_\ell\}$, and thus we have that $x_{ij} \leq a_i$. It follows that

$$x_{i1} \vee x_{i2} \cdots \vee x_{ik_i} \leq a_i.$$

Since Π' is feasible, there must exist a solution \vec{x}' of Π . For each $1 \leq i \leq n$, $x_i \leq a_\ell$ with $x_{\ell h} = x_i$ for some $1 \leq h \leq k_\ell$. Consequently

$$\vec{x}' \leq \vec{x}.$$




Fig. 2. Overview of the algorithms.

Algorithm 1: Calculate $\hat{d}(\mu, \eta)$.

Data: FTS (S, A, δ) , distance $d(s, t)$ for all $s, t \in S$, and distributions $\mu, \eta \in \mathcal{F}(S)$

Result: The distance $\hat{d}(\mu, \eta)$ induced by d

begin

if $\mu(S) \neq \eta(S)$ **then**

$\hat{d}(\mu, \eta) \leftarrow 1$;

break;

Sort the set $\Theta \leftarrow \{\mu(s), \eta(s), d(s, t) \mid s, t \in S\} \cup \{0, 1\}$ in an **ascending** order with the i -th element of Θ denoted by Θ_i ;

$i \leftarrow 1$;

while $i \leq |\Theta|$ **do**

 // Find a potential solution

 Take the system of equations Π' (cf. (5));

for each pair (s, t) **do**

$x_{st} \leftarrow 1$;

for each equation π **in** Π' **do**

if x_{st} **appears in the left hand side of** π **then**

$x_{st} \leftarrow \min\{x_{st}, \text{the right hand side of } \pi\}$;

 // Test if the potential solution is a solution of Π' .

if all the equations in Π' **hold then**

 The potential solution is a solution of Π' ;

$\hat{d}(\mu, \eta) \leftarrow \Theta_i$;

break;

$i \leftarrow i + 1$;

It follows that for each $1 \leq i \leq m$,

$$a_i = x'_{i1} \vee x'_{i2} \cdots \vee x'_{ik_1} \leq x_{i1} \vee x_{i2} \cdots \vee x_{ik_1} \leq a_i$$

Namely, \bar{x} is a solution of Π' . \square

4.3. The algorithms

Based on the results in Section 4.1 and 4.2, we specify three algorithms here. As illustrated in Fig. 2, given the current $d(s, t)$ Algorithm 1 computes $\hat{d}(\mu, \eta)$. The results act as the input for Algorithm 2, which calculates the updated $d(s, t)$, i.e., $\Delta(d)(s, t)$. In Algorithm 3, it repeats the procedure until a fixpoint is reached.

We will continue with Example 5 to show how to calculate $\hat{d}_1(\mu, \eta)$.

Example 6 (Continued). According to the algorithm, $\Theta = \{0, 0.6, 0.8, 0.9\}$. The algorithm will start from $\Theta_1 = 0$. It turns out this is *not* a feasible solution. We will proceed to check $\Theta_2 = 0.6$. As a result, we obtain a potential solution $x_{33} = \min\{0.9, 0.6\} = 0.6$, $x_{34} = \min\{0.6, 0.9, 0.9\} = 0.6$, $x_{44} = \min\{0.8, 0.9\} = 0.8$, $x_{43} = \min\{0.6, 0.8, 0.6\} = 0.6$ and $x_{ij} = 0$ for all the rest variables x_{ij} .

Now we test whether the potential solution is really a solution of Π' in Eq. (6). This is done by substituting the values back to Eq. (6). It is clear that $x_{31} \vee x_{32} \vee x_{33} \vee x_{34} = 0.9$, but $0 \vee 0 \vee 0.6 \vee 0.6 = 0.6 \neq 0.9$. So this potential solution is *not* a solution of Π' .

The algorithm proceeds by checking the next candidate $\Theta_3 = 0.8$, which turns out not to be a solution of Π' either. It then checks $\Theta_4 = 0.9$. Here, we have $x_{33} = \min\{0.9, 0.6\} = 0.6$, $x_{34} = \min\{0.9, 0.9, 0.9\} = 0.9$, $x_{44} = \min\{0.8, 0.9\} = 0.8$, $x_{43} = \min\{0.9, 0.8, 0.6\} = 0.6$ and all the rest $x_{ij} = 0$. This potential solution is indeed a solution of Π' . We then conclude that the distance between μ and η induced by d_1 is $\hat{d}_1(\mu, \eta) = 0.9$. \square

Whereas the correctness of Algorithm 2 follows from definition and it is easy to see it only requires polynomial time. The correctness of Algorithm 1 is far from trivial.

Algorithm 2: Calculate $\Delta(d)(s, t)$.**Data:** FTS (S, A, δ) , and $s, t \in S$, distance function d **Result:** $\Delta(d)(s, t)$ **begin** **if** $Act(s) \neq Act(t)$ **then** $\Delta(d)(s, t) = 1$; **else**

//compute Hausdorff distance by calling Algo. 1

$$H_d(\delta(s, a), \delta(t, a)) = \left(\bigvee_{\eta \in \delta(t, a)} \bigwedge_{\mu \in \delta(s, a)} \hat{d}(\mu, \eta) \right) \bigvee \left(\bigvee_{\mu \in \delta(s, a)} \bigwedge_{\eta \in \delta(t, a)} \hat{d}(\mu, \eta) \right);$$

 //compute $\Delta(d)(s, t)$ by taking the supremum among all actions:

$$\Delta(d)(s, t) = \bigvee_{a \in Act(s)} H_d(\delta(s, a), \delta(t, a));$$

Lemma 2 and Lemma 3 give rise to:

Proposition 2. Algorithm 2 computes, for each d , $\Delta(d)$ in polynomial time.

We remark that this is actually a *strongly* polynomial-time algorithm. In the literature, strongly polynomial time is defined in the arithmetic model of computation. In this model, the basic arithmetic operations (addition, subtraction, multiplication, division, and comparison) take a unit time step to perform, regardless of the sizes of the operands. The algorithm runs in strongly polynomial time [20] if (1) the number of arithmetic operations is bounded by a polynomial in $|\mathcal{M}|$; and (2) the space used by the algorithm is bounded by a polynomial in $||\mathcal{M}||$. In our case, one can easily verify (1) and (2) hold for Algorithm 2.

Algorithm 3 is the main procedure to compute $d_f^1(s, t)$ by an iteration of Δ starting from the least element \perp . The correctness of the algorithm follows from Proposition 2, which also asserts that each iteration requires polynomial time only. Hence it suffices to show that only polynomial number of iterations are necessary to terminate the algorithm.

Algorithm 3: Calculate d_f^1 .**Data:** FTS (S, A, δ) **Result:** The behavioural distance matrix d_f^1 **begin** $n \leftarrow 0$; $d_0 \leftarrow \perp$; **repeat** $\mathbf{D}_i \leftarrow d_n$; **for each pair** (s, t) **do** $d_{n+1}(s, t) \leftarrow \Delta(d_n)(s, t)$; // Call Algo. 2 $\mathbf{D} \leftarrow d_{n+1}$; $n \leftarrow n + 1$; **until** $\mathbf{D}_i = \mathbf{D}$; $d_f^1 = \mathbf{D}$;

The following lemma can be obtained by induction and Lemma 1.

Lemma 4. Given $\mathcal{M} = (S, A, \delta)$, it holds that $d_f^1(s, t) \in \Theta_{\mathcal{M}}$ for any $s, t \in S$.

The following proposition shows only polynomial number of iterations are necessary to terminate the algorithm.

Proposition 3. The iteration in Algorithm 3 needs at most polynomially many steps.

Proof. We assume that $n \in \mathbb{N}$ is the smallest n such that $d_n(s, t) = d_{n+1}(s, t)$. Due to Lemma 4, $d_i(s, t) \in \Theta_{\mathcal{M}}$, for any $i \in [0, n]$. Note that each d_i is of dimension $|S|^2$, and thus the value of each entry d_{st} must be in $\Theta_{\mathcal{M}}$. Moreover, as Δ is monotonic, $d_{i+1} \leq d_i$. It follows that $n \leq |\Theta_{\mathcal{M}}| \cdot |S|^2$, which is polynomial in the size of \mathcal{M} . \square

We conclude this section by the following theorem, which can be easily shown by Proposition 2 and 3.

Theorem 1. Given a fuzzy transition system \mathcal{M} , and two states s, t , $d_f^1(s, t)$ can be computed in (strongly) polynomial time.

5. The discounted case

In this section, we consider the discounted case, i.e., $\gamma < 1$. First we remark that one cannot (at least not in a straightforward manner) follow the same approach as in Proposition 3 to obtain a polynomial-time algorithm, simply because Lemma 4 fails when $\gamma < 1$. Instead, our strategy is to first come up with an approximation algorithm, which, given any $\epsilon > 0$, computes a d such that $\|d - d_f^\gamma\| \leq \epsilon$. It turns out that such an approximation can be identified by applying at most $\lceil \log_\gamma \epsilon \rceil$ iterations. In the sequel, we consider the ∞ -norm for vectors, i.e., $\|d_1 - d_2\| = \max_{s,t \in S} |d_1(s,t) - d_2(s,t)|$. We first show that Δ is a contraction mapping. The following is a simple technical fact.

Lemma 5. For any $z_1, z_2, t \in \mathbb{R}$, it holds that $\min(z_1, t) - \min(z_2, t) \leq |z_1 - z_2|$.

Proof. Observe that $\min(z, t) = \frac{|z+t| - |z-t|}{2}$. It then follows that

$$\begin{aligned} & \min(z_1, t) - \min(z_2, t) \\ &= \frac{|z_1+t| - |z_1-t| + |z_2-t| - |z_2+t|}{2} \\ &\leq \frac{|(z_2-t) - (z_1-t)| + |(z_1+t) - (z_2-t)|}{2} \\ &= |z_1 - z_2|. \quad \square \end{aligned}$$

For simplicity, given μ and η , we write $U_{\mu,\eta}$ for the set of $\{x_{uv}\}_{u,v \in S}$ such that

$$\begin{cases} \bigvee_{v \in S} x_{uv} = \mu(u) & \forall u \in S \\ \bigvee_{u \in S} x_{uv} = \eta(v) & \forall v \in S \\ x_{uv} \geq 0 & \forall u, v \in S \end{cases}$$

Lemma 6. For any $d, d' : S \times S \rightarrow [0, 1]$, it holds that

$$\|\Delta^\gamma(d) - \Delta^\gamma(d')\| \leq \gamma \cdot \|d - d'\|.$$

Proof. By definition,

$$\|\Delta^\gamma(d) - \Delta^\gamma(d')\| = \max_{s,t \in S} |\Delta^\gamma(d)(s,t) - \Delta^\gamma(d')(s,t)|.$$

Fix two states s and t . We have the following:

$$\begin{aligned} & |\Delta^\gamma(d)(s,t) - \Delta^\gamma(d')(s,t)| \\ &= |\gamma \cdot \bigvee_{a \in A} H_{\hat{d}}(\delta(s,a), \delta(t,a)) - \gamma \cdot \bigvee_{a \in A} H_{d'}(\delta(s,a), \delta(t,a))| \\ &\leq \gamma \cdot |H_{\hat{d}}(\delta(s,a^*), \delta(t,a^*)) - H_{d'}(\delta(s,a^*), \delta(t,a^*))| \\ &\quad [\text{where } a^* = \arg \max_{a \in A} H_{\hat{d}}(\delta(s,a), \delta(t,a))] \\ &\leq \gamma \cdot |\hat{d}(\mu^*, \eta^*) - d'(\mu^*, \eta^*)| \\ &\quad [\text{where } (\mu^*, \eta^*) = \arg H_{\hat{d}}(\delta(s,a^*), \delta(t,a^*))] \\ &= \gamma \cdot \left| \min_{\bar{x} \in U_{\mu^*, \eta^*}} \bigvee_{u,v \in S} (d(u,v) \wedge x_{uv}) - \min_{\bar{x} \in U_{\mu^*, \eta^*}} \bigvee_{u,v \in S} (d'(u,v) \wedge x_{uv}) \right| \\ &\leq \gamma \cdot \left| \bigvee_{u,v \in S} (d(u,v) \wedge y_{uv}) - \bigvee_{u,v \in S} (d'(u,v) \wedge y_{uv}) \right| \\ &\quad [\text{where } \bar{y} = \arg \min_{\bar{x} \in U_{\mu^*, \eta^*}} \bigvee_{u,v \in S} (d(u,v) \wedge x_{uv})] \\ &\leq \gamma \cdot |d(u^*, v^*) \wedge y_{u^*v^*} - d'(u^*, v^*) \wedge y_{u^*v^*}| \\ &\quad [\text{where } (u^*, v^*) = \arg \max_{u,v \in S} d(u,v) \wedge y_{uv}] \end{aligned}$$

$$\begin{aligned} &\leq \gamma \cdot |d(u^*, v^*) - d'(u^*, v^*)| \quad [\text{By Lemma 5}] \\ &\leq \gamma \cdot \|d - d'\| \end{aligned}$$

Namely, for any $s, t \in S$,

$$|\Delta^\gamma(d)(s, t) - \Delta^\gamma(d')(s, t)| \leq \gamma \cdot \|d - d'\|.$$

As a result,

$$\|\Delta^\gamma(d) - \Delta^\gamma(d')\| = \max_{s, t \in S} |\Delta^\gamma(d)(s, t) - \Delta^\gamma(d')(s, t)| \leq \gamma \cdot \|d - d'\|. \quad \square$$

Lemma 6 reveals that Δ^γ is a contraction mapping, hence by the Banach fixpoint theorem [1], d_f^γ is not only the least, but also the unique fixpoint of Δ^γ .

Corollary 1. Given any FTS \mathcal{M} with discounting factor $\gamma \in (0, 1)$, let $N = \lceil \frac{\log \epsilon}{\log \gamma} \rceil$. Then $\|(\Delta^\gamma)^N(d_0) - d_f^\gamma\| \leq \epsilon$.

Proof. First, observe that $\|\Delta^\gamma(d) - d_f^\gamma\| \leq \gamma \cdot \|d - d_f^\gamma\|$, which follows from Lemma 6 and the fact that $\Delta^\gamma(d_f^\gamma) = d_f^\gamma$. By induction, we have

$$\|(\Delta^\gamma)^n(d_0) - d_f^\gamma\| \leq \gamma^n \cdot \|d_0 - d_f^\gamma\|.$$

Hence

$$\|(\Delta^\gamma)^N(d_0) - d_f^\gamma\| \leq \gamma^N \cdot \|d_0 - d_f^\gamma\| \leq \gamma^N \leq \epsilon. \quad \square$$

Algorithm 4: Calculate $d_{f\epsilon}^\gamma$.

Data: FTS (S, A, δ) , error bound ϵ , discounting factor γ

Result: The approximate behavioural distance $d_{f\epsilon}^\gamma$

begin

$N \leftarrow \lceil \frac{\log \epsilon}{\log \gamma} \rceil;$

$d_0 \leftarrow \perp;$

$n \leftarrow 0;$

repeat

for each pair (s, t) **do**

$d_{n+1}(s, t) \leftarrow \gamma \cdot \Delta(d_n)(s, t);$ // Call Algo. 2

$\mathbf{D} \leftarrow d_{n+1};$

$n \leftarrow n + 1;$

until $n > N;$

$d_{f\epsilon}^\gamma = \mathbf{D};$

Corollary 1 states that $(\Delta^\gamma)^N(d_0)$ approximates d_f^γ up to ϵ . This result is essentially a corollary of Banach fixpoint theorem. It also gives a strongly polynomial approximation algorithm up to any precision ϵ , as shown in Algorithm 4. This is almost sufficient for practical considerations. Theoretically appealing, by the standard continued fraction algorithm [20], we can compute the exact d_f^γ in polynomial time as well. For this purpose, we need the following lemma:

Lemma 7. For $\gamma \in (0, 1)$, d_f^γ is a rational vector of size polynomial in $\|\mathcal{M}\|$ and $\|\gamma\|$.

Proof. For simplicity we write d for d_f^γ . By definition, d must satisfy

$$d(s, t) = \gamma \cdot \hat{d}(\mu, \eta)$$

for some $a \in A$, $\mu \in \delta(s, a)$, and $\eta \in \delta(t, a)$. Namely

$$d(s, t) = \gamma \cdot \bigvee_{u, v \in S} (d(u, v) \wedge x_{u, v})$$

such that

$$\begin{cases} \bigvee_{v \in S} x_{uv} = \mu(u) & \forall u \in S \\ \bigvee_{u \in S} x_{uv} = \eta(v) & \forall v \in S \\ x_{uv} \geq 0 & \forall u, v \in S \end{cases}$$

The claim hence follows from basic linear algebra. \square

Theorem 2. For a fixed γ , d can be computed exactly in polynomial time in $\|\mathcal{M}\|$.

Proof. By Theorem 1, we can find d_f^γ in polynomial time in \mathcal{M} and ϵ a vector that is ϵ -close to d_f^γ . And by Lemma 7, d_f^γ is a rational vector of size polynomial in $\|\mathcal{M}\|$. So we can use the continued fraction algorithm [20, Chapter 5] to compute d in polynomial time, as is illustrated in [6]. \square

We remark that, unfortunately, the exact polynomial-time algorithm is *not* strongly polynomial, as continued fraction algorithm is used. It is an open question whether one can obtain an exact strongly polynomial-time algorithm. As a future work, we would implement the algorithms and provide experimental results to show if they work well in practice.

6. Conclusion

We have studied the algorithmic aspect of behavioural distance for fuzzy transition systems. The pseudo-ultrametric defined in [5] was extended to accommodate both the discounted and non-discounted settings. We then provided polynomial-time algorithms to calculate the behavioural distance in both cases.

Acknowledgements

Taolue Chen is partially supported by EPSRC grant (EP/P00430X/1), ARC Discovery Project (DP160101652, DP180100691), and the National Natural Science Foundation of China (Grant No. 61662035). Tingting Han is partially supported by EPSRC grant (EP/P015387/1). Yongzhi Cao is supported by National Natural Science Foundation of China (Grant No. 61772035 and 61751210).

References

- [1] S. Banach, Sur les opérations dans les ensembles abstraits et leur application aux équations intégrales, *Fund. Math.* 3 (1922) 133–181.
- [2] P. Buchholz, Bisimulation relations for weighted automata, *Theoret. Comput. Sci.* 393 (1–3) (2008) 109–123.
- [3] Y. Cao, G. Chen, E.E. Kerre, Bisimulations for fuzzy-transition systems, *IEEE Trans. Fuzzy Syst.* 19 (3) (2011) 540–552.
- [4] Y. Cao, Y. Ezawa, Nondeterministic fuzzy automata, *Inform. Sci.* 191 (2012) 86–97.
- [5] Y. Cao, S.X. Sun, H. Wang, G. Chen, A behavioral distance for fuzzy-transition systems, *IEEE Trans. Fuzzy Syst.* 21 (4) (2013) 735–747.
- [6] D. Chen, F. van Breugel, J. Worrell, On the complexity of computing probabilistic bisimilarity, in: L. Birkedal (Ed.), *FoSSaCS*, in: *Lecture Notes in Computer Science*, vol. 7213, Springer, 2012, pp. 437–451.
- [7] T. Chen, T. Han, J. Lu, On metrics for probabilistic systems: definitions and algorithms, *Comput. Math. Appl.* 57 (6) (2009) 991–999.
- [8] M. Ćirić, J. Ignjatović, N. Damjanović, M. Bašić, Bisimulations for fuzzy automata, *Fuzzy Sets and Systems* 186 (1) (2012) 100–139.
- [9] M. Ćirić, J. Ignjatović, I. Jančić, N. Damjanović, Computation of the greatest simulations and bisimulations between fuzzy automata, *Fuzzy Sets and Systems* 208 (2012) 22–42.
- [10] B. Davey, H. Priestley, *Introduction to Lattices and Order*, Cambridge Mathematical Text Books, Cambridge University Press, 2002.
- [11] L. de Alfaro, T.A. Henzinger, R. Majumdar, Discounting the future in systems theory, in: J.C.M. Baeten, J.K. Lenstra, J. Parrow, G.J. Woeginger (Eds.), *ICALP*, in: *Lecture Notes in Computer Science*, vol. 2719, Springer, 2003, pp. 1022–1037.
- [12] W. Deng, D. Qiu, Supervisory control of fuzzy discrete-event systems for simulation equivalence, *IEEE Trans. Fuzzy Syst.* 23 (1) (Feb 2015) 178–192.
- [13] Y. Deng, T. Chothia, C. Palamidessi, J. Pang, Metrics for action-labelled quantitative transition systems, *Electron. Notes Theor. Comput. Sci.* 153 (2) (2006) 79–96.
- [14] Y. Deng, H. Wu, Modal characterisations of probabilistic and fuzzy bisimulations, in: *Formal Methods and Software Engineering*, Springer, 2014, pp. 123–138.
- [15] J. Desharnais, V. Gupta, R. Jagadeesan, P. Panangaden, Metrics for labelled Markov processes, *Theoret. Comput. Sci.* 318 (3) (2004) 323–354.
- [16] J. Desharnais, R. Jagadeesan, V. Gupta, P. Panangaden, The metric analogue of weak bisimulation for probabilistic processes, in: *LICS*, IEEE Computer Society, 2002, pp. 413–422.
- [17] N. Ferns, P. Panangaden, D. Precup, Bisimulation metrics for continuous Markov decision processes, *SIAM J. Comput.* 40 (6) (2011) 1662–1714.
- [18] H. Fu, Computing game metrics on Markov decision processes, in: A. Czumaj, K. Mehlhorn, A.M. Pitts, R. Wattenhofer (Eds.), *ICALP* (2), in: *Lecture Notes in Computer Science*, vol. 7392, Springer, 2012, pp. 227–238.
- [19] A. Giacalone, C.-C. Jou, S.A. Smolka, Algebraic reasoning for probabilistic concurrent systems, in: *Proc. of IFIP WG 2.2/2.3, PCM'90*, 1990, pp. 453–459.
- [20] M. Grottschel, L. Lovasz, A. Schrijver, *Geometric Algorithms and Combinatorial Optimization*, Algorithms and Combinatorics, Springer-Verlag, 1993.
- [21] I. Jančić, Weak bisimulations for fuzzy automata, *Fuzzy Sets and Systems* 249 (2014) 49–72.
- [22] S.C. Kleene, *Introduction to Metamathematics*, North-Holland, 1952.
- [23] R. Milner, *Communication and Concurrency*, Prentice Hall, 1989.
- [24] H. Pan, Y. Li, Y. Cao, Lattice-valued simulations for quantitative transition systems, *Internat. J. Approx. Reason.* 56 (2015) 28–42.
- [25] R.T. Rockafellar, R.J.-B. Wets, *Variational Analysis*, Springer-Verlag, 2005.
- [26] A. Tarski, A lattice-theoretical fixpoint theorem and its applications, *Pacific J. Math.* 5 (1955) 285–309.
- [27] M. Tracol, J. Desharnais, A. Zhoua, Computing distances between probabilistic automata, in: M. Massink, G. Norman (Eds.), *QAPL*, in: *EPTCS*, vol. 57, 2011, pp. 148–162.

- [28] F. van Breugel, B. Sharma, J. Worrell, Approximating a behavioural pseudometric without discount for probabilistic systems, *Log. Methods Comput. Sci.* 4 (2) (2008).
- [29] F. van Breugel, J. Worrell, An algorithm for quantitative verification of probabilistic transition systems, in: K.G. Larsen, M. Nielsen (Eds.), *CONCUR*, in: *Lecture Notes in Computer Science*, vol. 2154, Springer, 2001, pp. 336–350.
- [30] F. van Breugel, J. Worrell, A behavioural pseudometric for probabilistic transition systems, *Theoret. Comput. Sci.* 331 (1) (2005) 115–142.
- [31] W.G. Wee, On generalizations of adaptive algorithm and application of the fuzzy sets concept to pattern classification, PhD thesis, Purdue University, 1967.